

陸水班 上伊那の地下水分析データ

昭和57年 箕輪地区 分析結果

採水 NO.	採水地点	形状	月日	気温	水温	pH	RpH	電導度 μs/cm	酸度 meq/l	アルカリ度 meq/l	Cl mg/l	Ca mg/l	Mg mg/l	Na mg/l	K mg/l	COD mg/l	NH-N mg/l	NO-N mg/l	PO mg/l	SiO mg/l
1	沢上岡地湧水	湧水	7/31	24.6	14.5	6.0	7.5	130		1.30	16.1	12.1	4.9	9.9	0.6	0.34	0.12	0.002	0.05	17.3
2	藤森正樹宅南畑東下	湧水	7/31	24.8	14.5	5.6	6.6	110		1.23	14.1	11.7	5.3	8.8	0.7	0.33	0.09	0.002	0.09	18.0
3	藤森正樹宅南畑西	ヒューム管	7/31	25.8	22.2	7.3	7.7	161		1.94	14.1	13.8	3.6	12.4	2.5	0.85	0.05	0.002	0.25	15.5
4	藤森正樹宅南畑東の北東	湧水	7/31	27.0	14.7	5.6	6.2	123		1.32	14.9	11.4	4.8	9.5	0.6	1.10	0.00	0.001	0.08	19.2
5	大槻泰生宅東側井戸	ポンプ	7/31	28.4	16.3	5.6	6.2	165		1.55	18.0	13.8	4.1	14.3	1.0	0.91	0.00	0.010	0.08	18.5
6	大槻泰生宅南西井戸	ポンプ	7/31	27.9	16.2	5.6	6.2	165		1.54	17.1	13.5	5.0	13.8	0.7	0.03	0.01	0.001	0.06	15.5
7	1の南10m畑の下	湧水	7/31	28.7	15.0	5.6	6.2	115		1.36	15.1	12.2	4.6	10.1	0.6	0.71	0.04	0.001	0.04	19.2
8	7の北3m畑の下	湧水	7/31	28.7	14.5	6.0	6.6	140		1.32	14.6	12.2	5.7	9.8	0.7	0.01	0.00	0.020	0.07	19.2
9	7の南10m敷の中	咬上湧水	7/31	27.4	15.3	5.4	6.4	140		1.31	16.1	12.6	5.1	10.2	0.8	0.59	0.00	0.020	0.02	17.3
10	9の南70cm	湧水	7/31	27.4	15.6	5.4	7.1	128		1.31	16.1	12.8	5.4	10.9	0.7	0.59	0.00	0.002	0.07	17.3
11	9の南2m	湧水	7/31	27.4	16.0	5.6	7.2	134		1.32	15.9	12.4	4.8	9.8	0.6	0.29	0.00	0.002	0.01	15.5
12	9の南3m	湧水	7/31	26.0	15.0	5.7	7.5	135		1.29	16.1	11.9	4.9	9.5	0.8	0.22	0.00	0.001	0.08	18.0
13	大永寺北の洞沢 北側	湧水	7/31	23.3	14.9	6.0	7.0	145		1.34	16.1	14.2	4.8	9.5	0.7	0.60	0.03	0.001	0.03	16.8
14	大永寺北の洞沢 中央	湧水	7/31	23.3	15.0	6.0	7.0	145		1.32	17.1	14.3	5.0	9.9	0.7	0.68	0.00	0.020	0.03	16.8
15	大永寺北の洞沢 寺側斜面	湧水	7/31	23.3	15.5	5.5	7.3	150		1.40	16.6	13.7	5.0	10.6	1.1	0.13	0.00	0.001	0.02	15.5
19	八乙女東城館夫宅深井戸	12.5m	8/1	19.6	11.5	6.2	7.6	241		2.83	18.0	25.7	8.0	13.8	9.9	3.75	0.09	0.001	0.10	18.0
21	大永寺北のワサビ畑(唐沢年男)	湧水	8/13	21.5	14.8	6.0	7.3	140		1.13	20.7	20.7	6.6	8.6	0.8	0.37	0.03	0.000	0.05	2.7
22	21の北 ワサビ畑	湧水	8/13	24.5	14.3	5.9	7.3	150		1.24	20.4	20.4	6.0	10.3	0.9	0.18	0.02	0.001	0.04	10.8
23	沢上岡地の南U字溝 上の方	湧水	8/13	26.6	15.0	5.8	7.4	150		1.26	18.4	18.4	6.6	10.9	0.9	0.28	0.02	0.001	0.03	4.9
24	沢上岡地 林の中のワサビ畑	湧水	8/13	21.0	16.0	6.0	7.2	170		1.28	19.5	19.5	7.2	10.7	1.1	0.18	0.02	0.000	0.06	5.8
25	沢上岡地南畑の上 12の南	湧水	8/13	21.0	15.0	5.9	7.3	150		1.34	18.4	18.4	5.6	10.5	0.8	0.05	0.03	0.001	0.03	12.5
26	25の崖下	湧水	8/13	21.0	15.1	5.9	7.3	160		1.30	18.4	18.4	5.6	10.1	0.8	0.64	0.01	0.000	0.10	9.0
27	26の丘の上のヒューム管より	湧水	8/13	21.0	15.2	5.9	7.4	150		1.30	19.5	12.8	6.3	10.4	1.0	0.09	0.02	0.000	0.11	12.8
28	ワサビ畑 南から2番目	湧水	8/13	25.5	14.8	5.9	7.5	160		1.42	17.9	17.4	5.1	10.6	1.9	0.32	0.03	0.001	0.05	9.4
29	ワサビ畑 一番南	湧水	8/13	25.5	14.8	5.9	7.5	161		1.39	16.3	13.3	7.1	10.6	2.7	0.09	0.03	0.000	0.05	10.5
30	ミカサ電機井戸ポンプ	12間	8/13	25.5	18.0	5.9	7.4	150		1.72	15.1	14.7	6.0	8.9	1.0	0.37	0.03	0.000	0.06	15.0
31	大出 丸山吉太郎宅井戸	ポンプ	8/17	23.0	16.5	5.9	7.4	139		1.37	13.5	11.8	6.7	8.9	1.1	0.23	0.03	0.001	0.05	13.5
32	大出 大槻甲子人宅井戸ポンプ	12間	8/17	25.8	16.5	5.9	7.4	148		1.19	14.0	10.9	5.7	9.8	3.0	1.38	0.00	0.000	0.05	18.6
33	沢上 小松総郎宅深井戸	35m	8/17	22.2	14.8	5.9	7.4	110		1.22	11.9	12.8	3.4	7.2	0.7	0.23	0.00	0.010	0.04	11.0
34	唐沢英雄宅井戸	3間	8/17	22.5	15.8	5.9	7.4	135		1.34	15.1	12.5	5.3	9.3	0.6	0.37	0.07	0.020	0.06	8.2
35	小口和夫宅井戸ポンプ	23m	8/17	23.5	16.0	5.9	7.4	135		1.28	16.3	13.3	5.1	8.9	0.8	0.46	0.00	0.000	0.04	10.0
36	桑沢川横の池	泡が出る	8/17	24.2	14.9	5.9	7.4	142		1.16	16.1	13.3	5.3	9.3	1.2	0.55	0.04	0.000	0.05	8.2
37	小原正茂宅井戸ポンプ	8. 5m	8/17	23.5	19.0	6.2	7.6	160		1.73	15.1	13.7	7.4	9.0	1.4	0.50	0.00	0.000	0.02	12.2
38	白鳥 勇宅井戸ポンプ	5m	8/17	26.0	16.0	6.0	7.8	182		2.02	16.3	17.9	7.7	11.0	1.5	1.65	0.04	0.001	0.04	5.0

昭和58年 伊那市小黒川-小沢川 分析結果

採水 NO.	採水地点	形状	月日	気温	水温	pH	RpH	電導度 μs/cm	酸度 meq/l	アルカリ度 meq/l	Cl mg/l	Ca mg/l	Mg mg/l	Na mg/l	K mg/l	COD mg/l	NH-N mg/l	NO-N mg/l	PO mg/l	SiO mg/l
1	小林石材工場崖中段	湧水	7/31	24.5	12.0	7.0	7.2				4.15	6.38	2.65	3.7	1.3	0.28	0.03	0.0000	0.02	12.5
2	小池千代次宅裏5298	湧水	7/31	26.0	13.5	6.3	7.4	110		0.37	8.62	11.29	4.31	6.1	1.8	0.28	0.05	0.0000	0.01	19.3
3	木下商店水道用 4の南	湧水	7/31	27.0	13.0	6.5	7.3	120		0.38	10.48	13.75	4.64	6.6	1.7	0.55	0.05	0.0011	0.00	23.3
4	酒井今朝一宅裏5479	湧水	7/31	27.0	9.1	6.3	6.5	122		0.42	10.90	15.94	5.63	7.8	2.0	4.44	0.05	0.0000	0.01	25.7
5	小林石材店自宅	湧水	7/31	28.7	16.3	6.2	6.8				7.92	13.02	5.96	7.3	1.4	2.54	0.12	0.0017	0.01	26.8
6	野村三十宅南ワサビ畑	湧水	7/31	30.0	13.8	6.5	7.4	110		0.44	6.20	12.02	3.86	6.9	1.5	0.78	0.05	0.0005	0.02	28.2
7	野村宅前5232	湧水	7/31	30.0	13.8	7.0	7.4	110		0.48	8.62	11.75	4.14	6.7	1.6	0.65	0.05	0.0002	0.01	28.0
8	小林今朝太郎宅7ﾊﾞｰﾄ前	湧水	7/31	30.0	13.5	7.0	7.2	110			7.53	12.39	4.31	6.3	1.4	3.05	0.02	0.0008	0.01	25.5
9	小林宅前5232	湧水	7/31	27.0	13.5	6.6	7.3	100		0.45	7.93	12.20	3.53	6.7	1.4	4.95	0.06	0.0000	0.01	26.8
10	中村栄一宅前5080一段上	湧水	7/31	29.8	15.9	7.0	7.4	110		0.46	7.17	10.84	3.75	6.4	1.4	1.62	0.18	0.0000	0.02	12.2
11	田中吉男宅5017-6	湧水	7/31	27.0	16.1	7.1	7.2	110			7.17	11.20	4.19	7.2	1.6	8.05	0.07	0.0029	0.01	25.5
12	小池伝三宅5077	湧水	7/31	28.3	14.0	6.7	7.0	110		0.54	6.84	11.57	4.08	6.6	1.4	0.79	0.06	0.0000	0.00	25.5
13	小池利雄宅5077	湧水	7/31	28.3	14.0	6.2	7.3	110			6.72	11.20	3.64	6.4	1.4	3.05	0.12	0.0005	0.01	27.5
14	田中正治宅5073	湧水	7/31	26.5	13.5	6.4	6.8	105		0.46	5.62	10.38	3.75	6.6	1.3	0.65	0.09	0.0023	0.00	24.5
15	宮昭 弘宅前6041	湧水	7/31	25.2	13.5	5.9	6.4	85		0.51	6.84	9.47	3.03	5.7	1.6	0.05	0.09	0.0003	0.01	22.8
16	宮昭宅前道路南側	湧水	7/31	25.2	13.2	5.9	6.4	89		0.51	5.91	10.11	3.31	5.5	1.4	0.05	0.09	0.0017	0.01	24.0
17	16宅下 松下宅	湧水	7/31	26.8	14.0	5.6	5.7	81			6.20	9.11	3.04	5.4	1.3	0.79	0.07	0.0018	0.01	22.5
18	伊藤 明宅裏南側6040-4	湧水	7/31	26.8	14.0	5.8	6.4	88		0.51	6.84	10.11	3.31	5.4	1.7	0.51	0.03	0.0011	0.01	22.5
19	伊藤宅南側	湧水	7/31	26.8	14.0	5.9	6.4	88.5		0.50	6.84	9.65	3.48	5.5	1.6	0.18	0.05	0.0019	0.02	24.3
20	伊藤宅北側	湧水	7/31	26.8	14.0	6.0	6.5	84		0.50	6.84	9.84	3.09	5.5	1.5	0.79	0.02	0.0003	0.02	24.5
21	春日公園東北の水神	湧水	7/31	28.2	12.5	5.9	6.5	97		0.51	6.84	11.57	3.53	5.8	1.7	0.05	0.10	0.0010	0.01	25.2
24	別館だるま 川の西の北側	湧水	7/31	26.8	12.8	6.0	6.6	91		0.51	6.20	9.38	3.15	5.4	1.6	0.28	0.10	0.0023	0.01	23.7
25	別館だるま 川の西の南側	湧水	7/31		13.3	6.2	6.6	91.5		0.57	5.62	10.29	4.64	5.4	1.4	0.28	0.07	0.0018	0.00	28.2
26	伊藤新一宅裏石垣5549	湧水	7/31	26.0	13.5	6.2	6.8	120		0.51	10.02	10.84	3.48	8.1	4.4	0.28	0.02	0.0017	0.02	23.8
27	伊藤宅南の西産 泉町	湧水	7/31	26.5	14.0	5.8	6.4	110		0.49	7.92	11.66	3.48	7.0	3.7	0.28	0.02	0.0043	0.02	25.2
28	池上太郎宅水道4850	湧水	7/31	25.0	14.2	6.2	6.7	110		0.50	7.92	10.75	3.81	6.6	2.0	0.55	0.02	0.0025	0.02	23.5
29	遠藤光俊宅3533	湧水	7/31	26.0	13.5	6.0	6.4	130		0.52	11.30	14.48	4.31	8.7	2.5	0.74	0.02	0.0034	0.02	23.3
30	御子柴つや三郎宅横井戸	湧水	7/31	25.2	13.0	6.0	6.4	88		0.53	7.17	11.02	3.53	5.2	1.4	0.65	0.02	0.0037	0.01	23.8
31	竜東保育園裏	湧水	8/3	27.0	13.5	5.9	6.5	119		0.55	10.03	13.48	3.20	7.6	3.2	0.63	0.03	0.0012	0.01	21.8
32	小島 勝宅水神	湧水	8/3	27.0	14.9	6.3	7.3	130		0.58	10.90	16.39	1.77	7.9	2.7	4.44	0.11	0.0012	0.01	24.8
33	鶴羽重こうや豆腐井戸100m以上	湧水	8/3	26.0	13.5	6.5	7.0	120		0.80	9.14	15.57	3.70	8.0	1.7	0.31	0.07	0.0025	0.01	25.6
34	鶴羽重こうや豆腐井戸101m以上	湧水	8/3	28.5	14.0	6.0	6.9	120		0.75	9.14	15.21	3.20	8.0	1.8	0.03	0.03	0.0013	0.01	25.0
35	御子柴清志 上荒井4096	3.6m	8/3	30.2	14.0	6.1	6.7	95		0.44	6.84	12.02	2.21	5.5	1.8	0.03	0.05	0.0023	0.00	17.5
36	阿部一幸宅井戸	8.1m	8/3	29.8	13.8	6.1	6.7	93.9		0.72	7.53	12.11	2.76	5.0	1.5	0.01	0.03	0.0011	0.01	22.3
37	御子柴岩雄宅井戸	3.6m	8/3	29.2	15.4	6.0	7.1	94.5		0.49	6.52	10.66	2.54	4.8	1.8	0.03	0.11	0.0008	0.00	18.0
38	大坊の北段丘上横穴	湧水	8/3	29.5	11.5	5.4	7.1	47		0.20	2.78	5.65	2.21	2.2	0.7	0.08	0.07	0.0050	0.01	14.5
39	白鳥畜産井戸	80m	8/3	32.2	15.3	6.4	7.1	51.8		0.35	3.06	5.10	1.10	5.0	0.9	0.02	0.02	0.0013	0.01	15.3
40	鳩吹園 外れの山中	湧水	8/3	28.0	11.2	5.3	6.9	15.5		0.18	0.78	2.00	1.33	106.0	0.2	0.02	0.05	0.0000	0.00	8.8
41	内釜発電所上	湧水	8/3	23.0	9.8	6.6	7.0	29.9		0.13	0.57	5.19	0.28	2.2	0.9	0.03	0.18	0.0008	0.01	14.5
42	内釜バス停上室岡智明宅裏	湧水	8/3	22.2	13.5	6.3	7.0	24.5		0.21	0.57	3.92	1.55	1.9	0.7	0.04	0.07	0.0003	0.00	14.5
43	中村力蔵宅9801	湧水	8/4	26.2	14.5	5.9	6.4	16.5		0.19	0.57	4.01		1.5	0.3	0.32	0.05	0.0000	0.01	13.3
46	横山キャンプ場上水源池	湧水	8/4	24.5	14.2	6.6	6.8	17.2		0.19	1.40	1.82	0.00	2.8	0.7	0.42	0.12	0.0000	0.02	20.7
46	横山水源地上右	湧水	8/4	24.5	13.6	6.3	6.4	13.2		0.52	1.40	1.82	0.00	106.0	0.3	0.23	0.06	0.0000	0.00	6.2
47	横山水道水源	湧水	8/4	23.0	15.3	6.4	6.7	12.2		0.15	0.57	1.09	0.07	1.6	0.4	1.08	0.10	0.0000	0.00	15.4
48	春日社上湧水	湧水	8/4	23.2	11.5	5.2	5.8	14.5		0.18	0.57	1.82	0.06	1.9	0.5	0.11	0.05	0.0003	0.00	7.5
49	春日社の池 上	湧水	8/4	23.2	12.1	5.2	5.8	12		0.14	0.57	2.19	0.00	1.3	0.3	0.11	0.05	0.0000	0.05	7.2
50	武田余造宅9221	湧水	8/4	25.0	14.5	6.2	6.4	15.5		0.15	0.85	1.82	0.03	1.8	1.0	1.01	0.07	0.0000	0.00	7.8
51	川手成美宅 平沢8538	湧水	8/4	29.5	13.6	6.4	6.8	24.2		0.27	0.85	3.83	0.17	2.5	0.0	3.51	0.05	0.0000	0.00	19.7
52	川手宅の100m下ワサビ畑	湧水	8/4	21.5	12.5	6.2	6.6	69		0.56	6.20	8.29	2.65	4.7	0.8	9.85	0.03	0.0008	0.00	25.3
55	小沢川の端平沢ワサビ畑	湧水	8/4	23.5	17.3	7.2	7.4	5.3		1.18	0.43	8.11	0.83	2.4	0.5	1.88	0.05	0.0008	0.00	10.0
56	大野田初男宅8672	湧水	8/4	24.0	17.8	5.9	6.8	93.2		1.26	4.92	10.93	2.26	4.8	0.9	1.44	0.05	0.0008	0.02	21.0

昭和59年 伊那市・南箕輪村 分析結果

採水 NO.	採水地点	形状	月日	気温	水温	pH	RpH	電導度 μs/cm	酸度 meq/l	アルカリ度 meq/l	Cl mg/l	Ca mg/l	Mg mg/l	Na mg/l	K mg/l	COD mg/l	NH-N mg/l	NO-N mg/l	PO mg/l	SiO mg/l
1.1	与地浄水場	湧水	8/1	24.6	14.0	7.2	7.4	44				5.7	1.4	1.1	0.4	0.50				
1.2	与地浄水場	湧水豊か	8/1	25.5	14.3	7.4	7.4	44.5				2.7	1.4	0.9	0.8	0.76				
2	山ノ上橋上	湧水	8/1	23.5	17.2	7.1	7.2	29				2.7	1.6	1.4	0.5	1.89				
3	大六天南浄水場	湧水	8/1	26.5	11.7	7.1	7.4	33				2.6	1.6	1.3	0.7	0.27				
6	仲仙寺	湧水	8/1	21.2	16.9	6.7	7.0	22				3.4	0.6	1.4	0.8	3.39				
11	神子柴笠松宅西崖	湧水	8/2	21.9	15.6	6.7	7.0	145		1.29		15.4	2.9	4.1	4.4	1.36				
12	小椋一雄宅北100m	湧水	8/2	25.0	15.7	5.7	6.3	150		1.19		12.6	4.5	5.3	4.5	0.93				
13	北原茂人宅裏	湧水	8/2	26.0	16.6	6.7	7.1	129		1.23		13.0	4.5	5.3	4.8	0.93				
14	古畑宅つき井戸	ポンプアップ	8/2	26.0	16.3	6.1	6.7	170		1.42		16.7	4.7	4.7	4.6	0.68				
15	古畑事務所浅井戸	ポンプアップ	8/2	28.0	17.4	5.7	6.6	170		1.36		15.5	5.7	4.7	4.6	0.56				
16	唐沢喜六宅井戸	ポンプアップ	8/2	28.5	14.3	5.7	6.3	160		1.52		17.0	4.9	4.2	4.6	0.63				
17	加藤豆腐店井戸25m	ボーリング	8/2	26.6	13.2	5.9	6.4	125		1.01		13.1	5.5	4.3	4.9	0.63				
18	藤田製作所ワサビ畑	湧水	8/2	26.1	14.8	6.7	7.1	128		1.36		13.6	4.1	4.0	4.9	1.39				
19	ます池西南ワサビ畑	湧水	8/2	26.0	14.9	6.7	7.1	135		1.33		14.2	4.4	4.2	4.7	0.70				
20	ます池北西ワサビ畑	水源	8/2	27.8	14.1	6.0	6.7	130		1.36		15.2	4.6	4.5	4.5	0.60				
21	南箕輪小の北の横井戸	湧水	8/2	29.0	15.4	5.7	6.3	140		1.40		13.4	4.2	4.5	7.1	0.98				
22	南箕輪小の西の横井戸	湧水	8/2	29.0	15.3	5.6	6.3	135		1.38		14.2	4.1	0.5	7.1	0.76				
23	役場前 八幡神社北	湧水	8/2	28.1	15.5	5.4	6.2	135		1.36		13.2	3.9	4.3	7.3	0.55				
24	旧南殿の水道水源	湧水	8/2	25.5	15.4	5.5	6.1	100		1.30		12.9	4.3	3.9	7.2	0.02				
25	中学グラウンド東南の下	横井戸	8/2	21.5	15.3	5.7	6.4	120		1.40		14.2	4.1	4.2	7.1	0.10				
26	興和工場北西ワサビ畑	湧水	8/2	21.2	15.7	6.9	7.1	118		1.36		14.1	4.6	4.3	7.4	0.51				
27	興和工場南西ワサビ畑	湧水	8/2	21.7	14.3	6.9	7.1	140		1.42		15.8	4.5	4.2	7.3	0.27				
31	坂下 鈴木材表横井戸	湧水	8/9	24.0	14.6	5.8	6.9	121		0.68		10.1	5.9	9.9	1.1	0.58				
32	伊那北駐車場裏横井戸	湧水	8/9	26.0	14.2	6.6	7.2	141		0.57		11.8	5.2	12.2	0.7	0.98				
33	伊那小伏庭住宅裏	湧水	8/9	24.2	15.0	5.4	6.6	121		0.04		11.8	4.0	9.2	0.8	0.33				
34	伊那北高校南下	湧水	8/9	29.0	14.8	5.6	6.6	103		0.66		11.6	0.1	9.4	1.3	0.85				
35	山寺市民会館裏	湧水	8/9	26.0	12.8	6.3	7.0	110		0.50		11.4	4.6	9.2	1.3	0.81				
36	山寺 福沢和昭宅西	湧水	8/9	26.5	14.9	5.9	6.6	109		0.52		11.0	3.9	9.4	1.3	0.40				
37	御園 今泉ワサビ園北側	湧水	8/9	27.0	14.3	5.9	6.6	125		0.57		11.6	4.0	9.4	1.0	1.83				
38	御園 今泉ワサビ園南側	湧水	8/9	27.0	14.4	5.8	6.4	150		0.55		11.6	4.5	9.5	1.0	3.34				
39	白山神社南のワサビ畑	湧水	8/9	27.5	14.0	6.2	6.6	110		0.53		10.7	7.1	7.8	1.1	2.47				
40	御園 加藤泰明宅下横井戸	湧水	8/9	29.8	16.6	5.4	6.2	140		0.50		11.8	3.8	11.4	0.8	0.76				
41	駒美造園前 横井戸	湧水	8/9	29.5	17.9	5.7	6.6	121		0.57		12.8	3.4	11.4	1.1	1.69				
42	出光伊那インター給油所井戸	151m	8/9	28.9	14.5	6.2	6.7	105		0.57		10.3	4.3	6.6	1.0	1.00				
43	上農高校第二農場深井戸	100m	8/9	32.0	13.1	5.9	6.8	87.5		0.50		7.8	3.8	5.9	0.9	0.66				
44	中央石油伊那インター給油所	150m	8/9	31.9	17.8	7.4	7.6	87		0.59		6.3	3.0	7.8	0.2	0.35				
45	南箕輪 飯澤三雄宅裏	湧水	8/9	29.1	15.4	5.8	6.3	115		0.48		11.0	3.5	8.3	0.8	0.83				
46	神子柴上水道上	湧水	8/9	27.2	15.3	5.7	6.2	115		0.51		11.2	4.4	8.4	0.9	0.78				
47	田畑水道水源横	湧水	8/9	27.5	15.7	5.6	6.6	130		0.50		11.6	3.8	9.9	0.8	0.51				
48	47の下300mワサビ畑	湧水	8/9	26.5	15.6	6.7	7.0	110		0.55		10.4	3.8	9.4	0.9					

昭和61年 宮田村 分析結果

採水地点		形状	月日	気温	水温	pH	RpH	電導度 μs/cm	酸度 meq/l	アルカリ度 meq/l	Cl mg/l	Ca mg/l	Mg mg/l	Na mg/l	K mg/l	COD mg/l	NH-N mg/l	NO-N mg/l	PO mg/l	SiO mg/l	
3	宮田養鶏場北東	湧水	8/1	26.5	12.0	6.4	7.0			0.60		1.2	2.85	1.00	2.0	0.2	0.00	0.00	0.01	45.20	
8	平沢司宅下の田	湧水	8/1	30.8	13.4	5.4	6.3			0.76		43.5	13.15	5.40	3.3	1.0	0.00	0.23	0.00	0.01	56.70
9	小林義人宅前	湧水	8/1	28.1	18.6	5.4	7.2			1.05		22.4	8.91	2.04	2.4	1.1	0.11	0.77	0.00	0.01	42.00
11	福田悦蔵宅井戸	2m	8/1	27.0	18.0	5.2	7.0			1.08		29.0	11.16	2.25	3.2	2.0	0.06	0.70	0.00	0.01	46.00
12	加藤直美宅	横井戸	8/1	25.2	15.3	5.4	6.4			0.91		29.8	9.43	2.20	2.9	1.3	6.00	0.50	0.00	0.01	53.50
13	丸山道夫宅	横井戸	8/1	25.6	16.0	5.3	6.5			0.89		30.6	12.11	3.14	3.0	3.0	7.22	0.68	0.00	0.01	50.70
14	向山嘉彦宅	横井戸	8/1	23.0	14.0	5.5	6.7			0.98		37.4	11.42	2.36	3.5	1.0	8.39	1.04	0.00	0.01	87.50
15	三沢 博宅	横井戸	8/1	23.0	13.2	5.3	6.7			0.98		25.8	8.48	2.10	3.2	1.0	0.00	0.43	0.02	0.00	67.50
16	宮田アルマイト工場	7m	8/2	26.8	15.1	5.7	7.1		2.94	1.57		27.9	14.70	2.83	3.8	1.5	0.00	0.50	0.00	0.01	74.00
17	伊那石産生コン工場	50m	8/2	28.0	15.9	5.4	7.2		2.82	1.77		37.3	14.79	3.77	5.4	1.0	0.00	0.70	0.01	0.01	122.50
18	小田切優作宅井戸	50m	8/2	28.0	15.2	5.4	7.2		2.77	1.48		30.8	11.85	3.04	4.6	0.6	0.15	0.23	0.00	0.00	117.50
19	熊野神社裏	湧水	8/2	22.4	14.0	5.4	7.2		3.08	1.36		49.5	14.44	3.30	4.2	0.7	0.00	0.16	0.02	0.00	70.00
20	神社の左ワサビ畑	湧水	8/2	25.9	14.8	5.4	7.4		3.37	1.43		46.1	15.05	3.14	4.0	1.2	4.30	0.83	0.00	0.00	56.00
21	新谷光男宅東畑	湧水	8/2	27.8	13.0	5.4	7.2		3.95	1.05		42.3	19.12	3.35	5.1	1.2	0.06	0.50	0.01	0.00	65.70
22	新谷宅 庭	湧水	8/2	29.0	13.0	5.4	7.2		5.06	1.18		43.8	19.55	3.66	6.1	1.2	0.00	0.36	0.00	0.00	48.20
23	横古園 村田氏	湧水	8/2	30.0	16.9	5.4	7.3		3.12	1.07		32.6	11.42	1.99	2.7	0.8	0.26	0.50	0.00	0.00	36.00
24	白鳥紀治宅井戸	4m	8/2	29.6	18.0	5.4	7.3		5.28	1.58		45.9	17.56	2.99	5.0	1.8	0.21	0.97	0.01	0.01	41.20
26	長坂川堤防上地滑下	湧水	8/2	26.8	17.7	5.4	7.2		2.97	1.60		5.2	4.50	2.36	3.0	0.2	1.11	0.36	0.00	0.01	69.00
27	堤防 地滑の上	湧水	8/2	28.2	14.1	5.9	7.2		1.18	0.62		9.0	2.16	1.41	3.2	0.1	0.00	0.00	0.00	0.01	85.20
32	宮田タカノ工場井戸	80m	8/8	29.8	18.0	5.2	6.8		0.59	0.87		2.5	3.89	2.88		0.3	0.00	0.00	0.00	0.02	87.50
33	日本発条伊那工場	井戸	8/8	28.8	15.9	5.4	7.2		3.08	0.97		25.2	10.64	0.89	2.1	0.7	0.00	0.36	0.01	0.01	46.00
34	田中接骨院井戸	10m	8/8	29.6	13.3	5.4	7.2		1.85	1.04		21.3	9.69	2.62	3.7	0.9	0.00	0.00	0.00	0.01	41.20
35	北割北沢園武宅下	横井戸	8/8	29.6	12.5	5.3	7.4		3.32	1.14		25.2	6.83	1.25	3.5	0.1	0.00	0.08	0.00	0.01	87.50
36	第3水源下	横井戸	8/8	29.0	13.3	5.3	7.1		2.87	0.88		8.9	5.97	1.47	1.9	0.5	0.00	0.68	0.01	0.00	36.00
37	林田二三人宅別荘	50m	8/8	27.7	16.5	5.4	7.3		0.95	1.26		0.2	6.31	1.26	3.5	0.4	0.20	0.00	0.00	0.00	33.00
38	ITMkk 井戸	100m	8/8	27.5	12.8	5.5	7.3		0.73	1.72		0.9	9.60	1.42	5.3	0.4	0.00	0.36	0.00	0.00	49.00
39	宮田観光ホテル井戸	30m	8/8	24.8	9.8	6.7	7.1		0.62	0.95		0.0	5.88	1.26	1.8	0.3	0.00	0.08	0.00	0.00	32.00
40	宮田養鶏場井戸	50m	11/2	16.3	9.4	6.3	7.2					0.2	5.28	1.73	0.9	0.8	0.11	0.23	0.00	0.00	17.70

昭和62年 飯島 分析結果

昭和62年 最高・最低 月別結果																				
採水 NO.	採水地点	形状	月日	気温	水温	pH	RpH	電導度 μs/cm	酸度 meq/l	アルカリ度 meq/l	Cl mg/l	Ca mg/l	Mg mg/l	Na mg/l	K mg/l	COD mg/l	NH-N mg/l	NO-N mg/l	PO mg/l	SiO mg/l
2	唐沢五美宅	横井戸	7/30	25.9	12.5	5.4	5.8	75.0	0.232	0.090	0.00	0.42	1.08	1.32	0.00	0.91	0.0	0.0028	0.00	11.10
7	月見ヶ丘排水池の上	湧水	7/30	23.0	14.5	7.0	7.2	39.0	0.024	0.250	1.02	2.12	1.38	2.54	0.28	3.33	0.2	0.0019	0.01	13.90
10	羽生宅井戸	湧水	7/31	27.7	14.3	5.7	6.0	160.0	1.758	0.577	8.25	20.05	3.48	8.90	1.81	0.76	0.0	0.0105	0.00	14.40
11	横山茂雄宅	横井戸	7/31	27.9	14.8	5.8	5.8	94.0	1.042	0.265	5.65	12.52	1.74	2.42	0.55	0.53	0.0	0.0125	0.00	10.00
12	石田定一宅	横井戸	7/31	26.5	16.3	6.6	6.9	37.0	0.156	0.024	1.45	4.15	1.18	2.74	0.17	1.51	0.0	0.0017	0.01	14.80
13	亀井とみ子宅	横井戸	7/31	24.2	12.0	5.8	5.8	18.0	0.335	0.200	1.45	1.52	1.55	1.94	0.00	0.01	0.0	0.0025	0.01	14.45
14	小林昌義宅	横井戸	7/31	24.0	16.8	5.9	6.4	44.0	0.236	0.413	0.90	5.67	1.08	2.07	0.68	0.56	0.0	0.0180	0.00	11.60
15	小林昌義宅井戸	5.5m	7/31	24.1	15.0	5.8	5.8	62.0	0.381	0.216	1.90	7.15	1.80	2.27	1.72	0.31	0.0	0.0255	0.00	11.10
16	紫芝	5m	7/31	25.5	14.5	5.7	5.8	94.2	0.557	0.257	8.55	10.32	2.82	3.78	1.69	0.19	0.0	0.0100	0.00	10.50
17	平澤好子宅井戸	7.5m	7/31	25.3	18.0	5.8	6.6	260.0	0.097	0.579	21.20	32.32	7.88	4.76	2.34	0.77	0.2	0.0020	0.00	7.20
18	荒井芳雄宅井戸	3m	7/31	25.0	17.5	5.8	6.8	140.0	0.796	0.457	5.65	18.36	4.97	2.63	1.38	0.28	0.0	0.0170	0.00	7.80
19	山口 繁宅井戸	7/31	24.8	14.9	5.4	6.1	160.0	0.637	0.216	17.10	8.21	3.07	8.74	16.60	0.74	0.0	0.0173	0.00	8.80	
20	井口和子宅井戸	6.5m	7/31	24.0	13.2	5.8	6.4	89.0	0.916	0.489	10.45	10.41	2.20	4.27	1.87	0.49	0.0	0.0039	0.01	14.80
21	高橋 進宅井戸	7.5m	7/31	24.8	16.2	5.7	6.4	67.5	0.669	0.234	4.95	7.11	1.18	3.14	1.15	0.09	0.0	0.0038	0.01	1.10
22	井口富雄宅山際	湧水	7/31	24.0	14.0	6.6	7.2	59.9	0.208	0.635	1.95	6.85	2.15	4.52	0.29	1.70	0.0	0.0035	0.01	20.40
23	ひかり味噌ボｰリング	100m	7/31	24.5	16.5	7.2	7.5	54.0	0.044	0.559	0.00	5.25	1.59	3.40	0.30	0.03	0.0	0.0039	0.02	16.00
24	戸部一男宅井戸	5m	7/31	24.8	17.0	5.8	6.2	190.0	1.440	0.758	17.10	23.35	3.99	3.74	4.04	0.60	0.0	0.0082	0.01	12.00
25	北原伸一宅	地下水	8/3	27.0	17.0	5.5	6.2	76.0	0.511	0.319	4.60	7.70	2.30	2.09	1.75	0.17	0.0	0.0029	0.00	5.50
26	中村孝志宅ホﾟｯﾌﾟ	井戸	8/3	30.8	13.9	5.4	6.5	94.3	0.729	0.401	10.00	8.54	2.36	5.32	1.05	0.17	0.0	0.0025	0.01	12.40
27	伊藤信家宅井戸	13m	8/3		5.3		6.8	150.0	0.190	0.950	28.45	22.84	4.20	6.25	2.29	0.89	0.0	0.0115	0.01	12.10
28	羽生春美宅井戸	4m	8/3	28.3	13.2	5.5	6.7	140.0	0.669	0.367	13.00	17.00	3.74	3.62	3.43	0.34	0.0	0.0122	0.01	6.60
29	桃沢孝夫宅ホﾟｯﾌﾟ	100m	8/3	30.7	16.7	5.9	6.7	56.0	0.176	0.236	3.60	5.08	1.54	2.54	0.07	0.33	0.0	0.0011	0.01	8.80
30	前垣 靖宅	井戸	8/3	30.0	22.5	6.2	7.4	46.5	0.126	0.184	2.40	3.47	0.77	1.67	0.06	0.17	0.0	0.0200	0.00	6.40
31	片 岡 正宅	井戸	8/3	31.0	14.3	5.2	6.3	140.0	0.962	0.557	8.05	15.74	4.25	3.10	1.79	0.04	0.0	0.0017	0.00	5.80
32	堀田喜十郎宅井戸	9m	8/3	30.2	12.3	5.4	6.5	45.5	0.327	0.240	2.50	4.82	1.43	2.01	0.82	0.26	0.0	0.0011	0.01	3.30
33	肥後甲子宅	井戸	8/3	30.8	16.9	5.9	6.7	95.0	0.484	0.397	2.75	4.47	2.30	2.28	3.86	0.60	0.0	0.0000	0.01	5.50
34	片桐金恵宅横井戸	7m	8/3	30.0	13.7	5.2	6.7	46.5	0.667	0.277	2.75	5.92	1.69	2.14	0.02	0.44	0.0	0.0000	0.00	6.10
35	平沢靖司宅深井戸	井戸	8/3	28.5	14.0	5.3	6.9	105.0	1.046	0.477	9.60	11.93	3.02	3.13	1.87	0.47	0.0	0.0011	0.01	5.80

36	鈴木一生宅井戸	4m	8/3	28.2	15.8	5.1	6.3	155.0	0.742	0.225	18.60	6.35	3.02	8.86	13.90	0.66	0.0	0.0014	0.01	8.70
37	紫芝嘉好宅	井戸	8/3	26.4	13.5	5.4	6.9	108.0	0.767	0.371	13.85	15.48	2.71	3.37	1.52	0.50	0.0	0.0019	0.00	4.60
38	星野 正宅井戸	10m	8/3	25.5	14.9	5.0	6.3	100.0	0.492	0.117	16.05	9.90	2.76	3.27	2.43	0.00	0.0	0.0038	0.01	6.70
39	佐々木広宅	井戸	8/3	25.8	16.8	5.2	6.7		0.632	0.445	6.20	12.77	2.66	3.00	2.33	0.16	0.0	0.0044	0.00	5.50
40	竹俣英二郎宅深井戸	5m	8/9	25.5	14.7	5.4	6.3	10.0	0.301	0.135	9.60	18.71	2.51	3.06	1.81	0.03	0.0	0.0089	0.01	4.10
41	三石文人宅	井戸	8/9	27.0	15.0	5.6	6.5	83.0	0.257	0.315	7.15	9.05	0.00	5.07	1.76	0.37	0.0	0.0016	0.01	8.80
42	三石 力宅横井戸	500m	8/9	26.5	13.0	6.2	7.0	95.0	0.180	0.447	11.00	14.64	2.15	4.33	0.84	0.25	0.0	0.0177	0.01	11.10
43	湯沢千秋宅	井戸	8/9	25.8	12.9	5.9	6.9	76.0	0.230	0.518	6.00	10.66	0.77	4.33	2.15	2.27	0.0	0.0000	0.01	7.60
44	梅戸神社	横井戸	8/9	27.0	14.0	6.8	7.5	84.0	0.090	0.862	4.95	10.32	2.30	7.44	0.34	0.91	0.0	0.0060	0.02	20.50
45	丸山 栄宅ホール	36m	8/9	29.6	14.3	6.7	7.5	87.0	0.134	0.832	3.60	10.15	1.95	6.10	0.76	0.46	0.3	0.0031	0.02	21.10
46	平沢高穂宅井戸	8m	8/9	29.8	13.8	5.4	6.6	54.5	0.341	0.297	11.00	6.35	2.20	4.15	0.81	0.74	0.0	0.0041	0.01	7.80
47	水神様 今井宅下	湧水	8/9	28.0	15.5	5.4	6.6	44.5	0.341	0.321	4.95	6.01	2.00	3.01	0.17	0.14	0.0	0.0008	0.01	10.00
48	宮下高治宅	井戸	8/9	28.0	14.0	5.4	6.3	51.0	0.451	0.264	7.15	7.36	1.79	3.36	0.39	0.01	0.0	0.0024	0.01	8.20
49	堀越 井戸	6m	8/9	25.0	15.0	5.5	6.6	60.5	0.409	0.411	7.60	7.36	1.64	3.78	0.00	0.47	0.0	0.0000	0.01	19.00
50	堀越 横井戸	横井戸	8/9	25.0	11.8	5.2	6.0	51.8	0.639	0.128	10.75	5.25	2.41	2.55		0.00	0.0	0.0007	0.01	10.00
51	知久和三夫宅	井戸	8/9	26.5	14.7	5.4	6.6	80.0	0.701	0.505	16.05	17.85	3.38	2.67	0.09	0.04	0.0	0.0018	0.01	8.20
52	熊崎崎雄宅	井戸	8/9	27.5	14.0	5.4	6.6	46.5	0.433	0.236	10.45	3.98	1.74	2.23	0.11	0.83	0.0	0.0000	0.01	10.90
53	宮沢利忠宅	横井戸	8/9	25.5	12.2	6.2	7.1	31.0	0.116	0.253	2.50	4.23	1.38	1.69	0.27	0.23	0.0	0.0000	0.01	6.40
54	黒川宅南墓地下	横井戸	8/9	25.0	12.3	5.9	7.2	145.0	0.389	0.615	15.75	21.15	3.02	5.73	0.91	0.24	0.0	0.0011	0.01	10.50
55	松光園井戸 原宅	6m	8/9	25.0	17.0	5.3	7.2	135.0	1.061	0.448	23.25	18.19	3.02	3.07	1.88	0.39	0.0	0.0019	0.01	7.20
56	原 和則宅井戸	4m	8/9	24.5	18.2	5.6	7.0	98.0	0.558	0.458	12.00	11.67	2.41	3.02	1.47	0.00	0.0	0.0000	0.01	9.40
57	小林忠彦宅井戸	10m	8/9	24.5	16.8	5.4	7.0	145.0	0.288	1.006	19.15	19.88	2.87	3.31	1.98	0.49	0.0	0.0019	0.01	8.20
58	高坂 昇宅井戸	6m	8/10	25.0	16.2	5.6	7.1	35.0	0.257	0.232	10.75	4.48	0.46	3.30	1.33	0.10	0.0	0.0003	0.01	10.10
59	長谷川清志宅井戸	10m	8/10	25.2	14.9	5.4	6.6	84.5	0.553	0.357	11.00	9.73	2.20	4.34	2.61	0.41	0.0	0.0000	0.01	11.10
60	大木島一雄宅井戸	5m	8/10	26.0	13.0	5.5	7.2	100.0	0.581	0.367	7.15	12.69	2.15	5.39	3.14	0.01	0.0	0.0017	0.01	7.80
61	大龍軒井戸	10m	8/10	27.2	14.4	5.4	7.1	125.0	0.588	0.401	13.65	12.77	2.00	21.40	4.05	0.06	0.0	0.0002	0.00	7.80
62	農協GS井戸	6m	8/10	28.3	17.6	5.5	7.1	170.0	0.493	1.455	16.50	14.38	2.00	30.20	5.95	0.01	0.0	0.0000	0.00	7.80
63	コスモ21ホール	80m	8/10	29.0	15.0	6.8	7.5	79.5	0.165	0.623	5.65	10.07	1.59	4.37	0.47	0.31	0.0	0.0013	0.01	21.00
64	鹿光寺 始宅井戸		8/10	27.9	15.3	5.6	7.2	91.0	0.591	0.495	4.80	12.01	1.33	3.82	1.44	0.01	0.0	0.0000	0.00	7.50
65	小松酒店井戸	6m	8/10	31.8	13.8	5.6	6.9	95.0	0.503	0.370	6.30	11.08	1.38	5.68	3.46	0.03	0.0	0.0005	0.01	5.50
66	南信時計ホール	65m	8/10	31.0	13.8	5.8	7.2	87.0	0.353	0.520	5.65	10.74	1.69	5.56	0.69	0.07	0.0	0.0007	0.01	15.30
67	大島晴彦宅井戸	12m	8/10	29.5	18.0	5.4	7.0	89.0	0.645	0.436	5.65	10.91	1.48	3.75	1.84	0.13	0.0	0.0031	0.01	5.50
68	富永光雄宅井戸	6m	8/10	30.0	14.9	5.4	7.3	100.0	0.400	0.429	5.30	10.15	2.36	3.91	10.30	0.24	0.0	0.0006	0.01	6.60
69	米山昌富宅井戸	6m	8/10	30.0	16.0	6.1	7.2	145.0	0.647	1.111	10.00	20.30	3.64	5.16	2.52	0.42	0.0	0.0000	0.01	9.80
70	大沢正人宅井戸		8/10	28.7	15.4	5.4	7.3	100.0	0.995	0.866	11.00	15.74	2.20	3.08	1.87	0.23	0.0	0.0000	0.00	5.50
71	香坂 昇宅井戸	8m	8/10	27.8	15.0	5.9	7.3	78.5	0.299	0.598	4.25	9.56	1.64	7.21	0.71	0.03	0.0	0.0000	0.01	19.20
72	宮下文男宅井戸	7m	8/10	26.0	14.0	5.4	7.2	80.5	0.635	0.477	5.75	8.80	1.69	5.78	2.18	0.04	0.0	0.0000	0.01	17.80
73	北沢 勇宅井戸	4.5m	8/10	26.1	14.4	5.5	7.1	98.0	0.669	0.499	7.15	13.20	2.05	3.35	2.27	0.10	0.0	0.0000	0.00	5.40
74	笠原芳郎宅井戸	4m	8/10	24.0	13.9	5.6	7.1	97.5	0.581	0.431	3.95	12.94	2.66	2.96	4.80	0.01	0.0	0.0098	0.00	7.20
75	平澤松蔵宅井戸	3m	8/10	24.0	20.0	6.0	7.3	80.5	0.610	0.654	3.65	13.20	2.46	3.02	4.48	0.13	0.0	0.0024	0.00	5.80
76	柴田国一宅井戸	3m	8/12	25.6	18.9	5.4	7.0	19.2	0.510	0.242	1.85	5.33	1.43	2.09	0.91	0.07	0.0	0.0023	0.00	5.50
77	熊谷宗一宅井戸	3m	8/12	26.8	16.2	5.4	7.2	540.0	0.928	0.377	13.85	18.95	3.79	7.67	8.20	0.37	0.0	0.0038	0.00	6.60
78	小椋宅井戸	8m	8/12	28.0	14.6	5.4	7.3	81.8	0.361	0.417	6.30	9.56	1.95	3.45	1.41	0.26	0.0	0.0020	0.01	13.25
79	西種広次宅横井戸	25m	8/12	28.3	14.7	6.0	7.2	90.0	0.539	0.437	2.05	11.67	1.79	4.50	1.45	0.17	0.0	0.0013	0.00	9.80
80	横沢銀六宅井戸	8m	8/12	27.0	14.8	6.3	7.3	93.0	0.282	0.631	3.15	11.00	1.69	5.14	0.48	0.50	0.0	0.0003	0.01	14.20
81	中村良雄宅井戸	8m	8/12	31.8	16.3	5.5		81.3	0.487	0.563	2.50	10.32	1.43	3.81	2.03	3.31	0.0	0.0011	0.02	10.00
82	田島 高宅井戸		8/12	33.0	15.8	5.4	7.0	140.0	1.093	0.653	11.50	17.09	2.82	4.52	0.79	0.48	0.0	0.0020	0.01	15.20
83	唐沢春利宅井戸		8/12	32.0	13.3	5.2	7.0	67.5	0.657	0.220	4.25	4.40	1.74	4.52	0.45	1.13	0.0	0.0000	0.01	15.20
84	小林百雄宅井戸	7.5m	8/12	31.6	14.3	5.2	7.1	110.0	0.880	0.347	8.05	11.93	2.25	3.55	1.61	1.06	0.0	0.0004	0.01	10.80
85	宮脇寛行宅井戸	4m	8/12	29.0	14.7	5.2	7.0	92.0	0.903	0.273	6.30	10.66	2.41	2.87	0.55	1.44	0.0	0.0000	0.01	10.00
86	小林幹治宅井戸	4m	8/12	31.0	16.0	5.3	7.1	110.0	0.609	0.224	15.05	12.61	2.05	3.06	1.49	2.26	0.0	0.0007	0.00	7.50
87	森屋栄一宅井戸		8/12	32.7	18.7	5.2	7.1	170.0	1.423	0.467	21.40	19.37	2.30	3.95	3.33	3.14	0.0	0.0000	0.00	10.00
88	宮沢盤根宅横井戸	50m	8/12	30.3	13.9	5.5	7.5	74.0	0.540	0.433	7.90	9.22	2.00	3.58	0.61	1.63	0.0	0.0005	0.01	14.30
89	宮沢大造宅井戸		8/12	29.4	19.0	5.2	6.8	220.0	0.319	0.100	9.50	25.63	2.82	6.15	1.16	1.51	0.0	0.0000	0.01	9.20
90	聖徳寺井戸	11m	8/12	29.7	12.0	5.3	6.9	38.0	0.301	0.140	2.50	3.30	0.56	2.76	0.18	1.13	0.0	0.0000	0.00	11.10
91	山田洋三郎宅横井戸	140m	8/12	27.8	17.2	6.1	7.5	81.0	0.305	0.371	4.25	8.80	1.13	5.04	0.49	1.29	0.0	0.0000	0.01	16.00
92	堀内喜久治宅横井戸	200m	8/12	26.2	13.8	5.3	7.3	64.5	0.904	0.425	0.90	8.97	1.43	2.87	0.75	1.48	0.0	0.0170	0.01	10.10
93	田中茂樹宅井戸	4.5m	8/12	26.3	16.8	5.4	7.3	178.0	1.522	0.910	13.25	23.86	3.79	4.28	4.37	1.95	0.0	0.0011	0.01	12.80

昭和63年 七久保 分析結果

探水 NO.	探水地点	形状	月日	気温	水温	pH	RpH	電導度 μs/cm	酸度 meq/l	アルカリ度 meq/l	Cl mg/l	Ca mg/l	Mg mg/l	Na mg/l	K mg/l	COD mg/l	NH-N mg/l	NO-N mg/l	PO mg/l	SiO mg/l
7	宮下藤雄宅 右	横井戸4m	8/7	30.0	13.0	5.8	6.2	31.8	1.002	0.015	2.75	2.54	1.43	0.52		0.00			0	14.3
8	宮下藤雄宅 左	横井戸	8/7	30.0	13.0	5.8	6.6	35.0	0.942	0.281	1.70	5.92	0.87	0.58		0.44	0.030	0.0017	0	16.0
9	宮下藤雄宅	井戸4m	8/7	30.0	13.0	5.8	6.6	43.0	1.220	0.192	2.75	3.64	0.00	0.48		0.00	0.010		0	18.2
10	宮下善人宅横井戸北	300m	8/7	26.4	13.1	7.2	7.4	37.0	0.184	0.325	1.60	4.40	3.13	0.62		0.36	0.010	0.0010	0	16.6
11	宮下善人宅横井戸西	5m	8/7	26.4	13.5	5.5	7.1	145.0	0.762	0.152	0.37	1.10	0.82	0.37		0.00	0.010		0	13.2
12	宮下義明宅横井戸	500m	8/7	27.6	16.6	5.4	7.0	276.0	0.240	0.156	1.98	2.03	1.49	0.32		0.36	0.020		0	13.0
21	高坂和男宅	井戸	8/8	22.2	14.3	5.6	6.3	140.0	0.473	0.176	6.35	22.07	5.23	0.67		0.89	0.028	0.0219	0	14.0
22	宮下昌春宅	横井戸	8/8	22.0	15.4	5.8	6.6	76.0	1.388	0.534	3.05	9.98	1.74	0.74		2.51	0.010	0.0000	0	16.0
23	岩村千春宅	井戸	8/8	23.0	14.0	5.7	6.4	125.0	0.878	0.309	10.15	16.07	4.00	0.54		0.28	0.010	0.3172	0	10.9
24	湯沢正雄宅横井戸	150m	8/8	24.0	13.9	5.6	6.2	105.0	1.042	0.362	4.25	12.43	3.23	0.53		0.00	0.010	0.0021	0	12.7
25	湯沢正雄宅井戸	7m	8/8	24.0	13.0	5.6	7.1	87.9	0.677	0.649	2.40	13.63	2.33	0.67		0.12	0.000	0.0076	0	13.2
26	鎌倉金蔵宅井戸	6. 5m	8/8	24.3	14.2	5.5	6.8	180.0	0.890	0.401	10.00	10.99	15.37	0.70		0.00	0.010		0	13.2
27	鎌倉清三宅井戸	9m	8/8	24.0	13.3	6.4	7.3	237.0	0.331	0.846	9.80	33.57	3.54	0.60		0.00	0.020		0	16.0
28	横田昌蔵宅	横井戸	8/8	26.2	17.0	5.8	7.1	150.0	0.551	0.496	10.00	16.32	3.64	1.17		0.00	0.015	0.0000	0	14.3
29	横田昌蔵宅	湧水	8/8	26.2	16.5	5.4	6.6	120.0	0.650	0.362	11.50	12.60	2.66	1.15		0.04	0.015	0.0188	0	12.1
30	藤木重男宅横井戸	30m	8/8	26.3	13.0	5.5	6.4	95.0	0.376	0.180	3.50	9.98	3.69	0.50		0.00	0.000		0	13.2
31	藤木一美宅横井戸	200m	8/8	27.5	14.8	5.8	6.6	125.0	0.399	0.367	4.95	14.38	2.41	0.91		0.08	0.010	0.0005	0	13.8
32	福田卓人宅	井戸	8/8	24.0	15.0	5.9	7.0	110.0	0.631	0.657	6.35	13.87	1.95	1.03		0.00	0.000	0.0000	0	12.1
33	那須野五穂宅横井戸	150m	8/8	27.3	17.7	5.8	6.8	84.0	0.691	0.466	2.95	10.66	2.15	0.43		0.00	0.000	0.0010	0	12.0
34	宮下敏男宅横井戸	10m	8/8	27.5	17.1	5.8	6.4	120.0	1.260	0.728	8.06	16.32	2.97	0.51		0.57	0.000		0	10.8
35	上沼福美宅井戸		8/8	30.2	16.3	5.8	6.7	175.0	0.707	0.341	12.50	17.68	3.07	1.59		0.04	0.000	0.0018	0	9.7
36	上沼福美宅横井戸		8/8	30.0	15.2	5.6	6.5	120.0	0.934	0.365	9.00	14.38	4.00	0.67		0.00	0.000	0.0041	0	9.1
37	北村作蔵宅	井戸	8/8	28.0	13.3	5.7	6.9	102.0	0.899	0.385	10.00	12.85	1.69	0.60		0.00	0.010		0	9.7
38	竹沢秀幸宅横井戸	50m	8/8	26.0	15.5	5.4	6.4	120.0	0.982	0.232	14.55	13.70	2.87	0.78		0.00	0.000	0.0000	0	10.5
39	竹沢秀幸宅井戸	3m	8/8	26.0	15.2	5.1	5.9	130.0	1.295	0.188	12.00	15.81	2.51	1.01		0.00	0.010	0.0000	0	12.1
40	吉沢政春宅井戸	3m	8/8	25.3	18.8	5.4	6.5	120.0	0.935	0.521	13.95	16.66	3.02	0.53		0.00	0.000		0	11.2
41	吉沢益美宅井戸	2. 5m	8/8	27.0	14.8	5.4	6.6	128.0	1.256	0.667	9.50	19.45	3.02	0.53		0.00	0.025		0	11.1
42	鈴木良男宅井戸	3. 3m	8/8	25.7	15.8	5.6	6.8	165.0	0.598	0.513	14.05	18.61	2.10	0.53		0.00	0.000		0	10.5
43	桃沢 勇宅井戸	6m	8/8	26.0	16.0	5.7	6.4	107.0	0.469	0.293	6.75	13.11	2.51	1.01		0.00	0.000		0	11.1
44	南信精機ホールING	120m	8/8	25.0	15.4	6.6	7.4	82.0	0.290	0.727	11.00	8.03	2.66	1.14		0.32	0.010		0	28.0
45	福沢 勇宅井戸	3m	8/8	24.3	13.2	5.9	6.8	100.0	0.320	0.470	6.30	13.36	2.46	0.76		0.44	0.000		0	9.4
46	片桐 篤宅横井戸	100m	8/8	22.4	15.2	5.5	6.6	138.0	1.024	0.633	6.30	18.94	3.13	0.69		1.29	0.000		0	12.1
47	塩沢正吉宅横井戸	100m	8/9	24.6	14.7	5.5	6.2	110.0	1.346	0.354	14.05	14.21	3.23	0.59		1.13	0.000	0.0437	0	8.7
48	斎藤千代三宅深井戸	7m	8/9	23.7	13.8	5.6	6.2	260.0	0.711	0.202	17.10	29.43	6.25	1.84		0.24	0.000	0.0010	0	7.2
49	宮崎次郎宅井戸	4m	8/9	26.9	13.0	5.5	6.2	110.0	1.476	0.298	13.25	12.69	3.02	0.76		2.51	0.000	0.0001	0	10.5
50	紫芝末広宅井戸	10m	8/9	26.7	15.3	5.7	6.7	91.9	0.946	0.504	6.75	12.43	2.25	0.62		0.61	0.000	0.0010	0	11.1
51	紫芝末広宅横井戸	50m	8/9	26.7	17.0	5.7	6.6	110.0	0.867	0.494	7.90	14.04	2.46	0.59		1.37	0.000	0.0060	0	8.8
52	上原 憲宅井戸	4m	8/9	26.8	16.0	6.0	7.2	74.3	0.379	0.099	3.62	7.78	1.56	0.74		0.65	0.000	0.0004	0	11.1
53	小林 茂宅井戸	3. 5m	8/9	27.1	13.0	5.4	6.2	135.0	0.293	0.509	5.65	15.80	3.74	0.90		0.69	0.000	0.0001	0	11.6
54	野村兼己宅井戸	11m	8/9	27.2	14.7	5.9	7.1	120.0	0.551	0.630	6.35	18.45	3.21	0.78		1.66	0.010		0	10.5
55	増沢和弘宅井戸	5m	8/9	30.1	15.6	6.0	6.8	168.0	0.251	0.526	13.95	20.21	2.28	1.60		1.05	0.000	0.0001	0	13.0
56	伊藤治男宅横井戸	30m	8/9	32.0	14.0	5.6	6.6	108.0	1.174	0.525	7.25	16.12	1.46	0.68		0.61	0.000		0	10.9
57	伊藤治男宅井戸	5m	8/9	30.0	20.1	9.4	9.0	65.7	0.000	0.562	1.45	9.30	0.58	0.56		0.93	0.010		0	12.0

58	中川 米山悦雄宅井戸	3m	8/9	28.9	16.2	6.6	7.5	219.0	0.454	1.195	9.20	26.39	2.96	0.82	1.90	0.010		0	11.6
59	大嶋寿清宅井戸		8/9	30.2	13.5	5.6	7.0	220.0	0.295	0.210	14.55	24.38	3.11	1.42	1.58	0.010		0	8.0
60	斎藤満蔵宅井戸	2m	8/9	30.1	14.2	5.8	6.8	206.0	0.537	0.356	14.85	26.47	2.96	1.03	1.25	0.010	0.0195	0	7.5
61	川井隆義宅井戸	5m	8/9	29.0	24.3	5.8	6.8	208.0	0.518	0.301	14.75	21.41	5.01	1.16	1.49	0.010	0.0129	0	14.2
62	中川 上沢和史宅井戸	6m	8/9	28.6	12.7	5.7	6.6	39.9	0.412	0.185	4.95	4.65	1.56	0.41	1.21	0.010		0	12.1
63	中川 沢田祐一宅井戸	9m	8/9	27.1	16.9	5.2	6.2	121.0	0.846	0.241	15.05	13.39	3.50	0.88	1.33	0.010	0.0062	0	10.8
64	成沢正人宅井戸	13m	8/9	26.6	14.5	5.4	6.6	299.0	0.964	0.353	19.05	23.66	6.51	2.06	2.83	0.010	0.1700	0	10.8
65	本島収一宅	湧水	8/10	21.8	15.0	5.8	6.7	45.0	0.337	0.192	7.15	4.41	2.09	0.46	0.77	0.010	0.0001	0	14.2
66	米山 登宅	横井戸	8/10	21.0	17.3	5.8	7.0	53.0	0.368	0.273	5.50	6.10	1.65	0.50	1.25		0.0001	0	14.9
67	千村隆子宅	横井戸	8/10	22.0	15.0	5.8	7.2	38.5	0.307	0.192	0.90	3.29	1.51	0.59	0.29	0.055		0	18.6
68	坂下茂男宅横井戸	30m	8/10	22.3	14.7	5.8	7.2	10.2	0.231	0.285	6.55	8.74	3.25	1.22	0.45	0.010		0	19.2
69	塩澤清和拓井戸	10m	8/10	22.7	13.0	5.7	7.1	63.5	0.335	0.196	4.60	7.22	2.04	0.64	0.78	0.015		0	14.7
70	伊藤正之宅	横井戸	8/10	22.4	13.0	6.6	7.2	40.0	0.067	0.263	2.50	5.13	1.65	0.42	0.65	0.010	0.0010	0	11.0
71	米山益登宅	30m	8/10	25.0	14.3	5.6	6.7	59.8	0.173	0.106	5.06	6.34	1.99	0.52	1.64	0.010		0	13.8
72	堀越利一宅井戸	10m	8/10	25.5	15.0	5.5	7.3	221.0	1.502	1.103	18.60	31.36	3.99	1.08	1.68	0.025		0	13.8
73	林 基司宅横井戸	4m	8/10	22.9	13.0	5.6	7.1	156.0	0.524	0.579	6.75	21.86	4.67	1018.00	0.25	0.020	0.0320	0	18.6
74	桃澤茂樹宅	横井戸	8/10	24.5	14.2	5.5	7.2	116.0	0.527	0.429	4.95	17.72	2.33	0.84	0.29	0.010		0	13.8
75	平栗 保宅	横井戸	8/10	24.0	14.0	5.7	7.0	89.0	0.488	0.465	5.65	11.95	2.14	1.03	0.98	0.010		0	14.1
76	米山善富宅横井戸	50m	8/10	23.9	14.3	5.5	7.0	83.9	0.317	0.208	8.80	9.78	1.85	1.15	0.65	0.015	0.0001	0	16.3
77	茅野雄夫宅井戸	3.5m	8/10	25.8	16.0	5.6	7.3	87.1	0.438	0.659	2.50	8.26	1.55	1.22	1.64	0.015	0.0001	0	14.9
78	丸井藤造井戸	8m	8/10	27.0	14.5	6.3	7.6	186.0	0.517	0.483	20.90	16.60	1.90	3.64	2.41	0.015	0.0047	0	17.3
79	中村澄雄宅横井戸	2m	8/10	23.5	23.2	6.4	7.3	94.8	0.190	0.335	13.20	10.43	1.07	1.16	0.86	0.020		0	19.0
80	飯島セミツカ2号井戸	150m	8/10	23.0	13.0	7.1	7.2	54.8	0.060	0.190	1.85	5.45	1.46	1.24	0.37	0.025	0.0001	0	32.5
81	飯島セミツカ1号井戸	130m	8/10	23.0	14.9	7.0	7.3	68.0	0.090	0.319	3.62	7.22	1.94	1.15	0.70	0.020	0.0001	0	31.5
82	林道北ノ沢線	湧水	8/10	20.1	15.5	6.8	7.2	28.8	0.092	0.290	0.90	2.41	1.41	0.86	2.00	0.030		0	26.1
85	大林元実宅横井戸	340m	8/11	26.0	16.0	6.7	7.1	28.0	0.112	0.301	0.60	2.25	1.56	0.91	0.29	0.020	0.0038	0.015	30.2
86	沢の井戸	横井戸	8/11	23.5	18.0	6.3	7.3	65.0	0.206	0.345	2.50	5.61	2.71	0.91	2.09	0.015		0	29.1
87	森脇建村探石所東	横井戸	8/11	24.7	14.2	5.7	7.2	93.0	0.507	0.334	4.95	10.27	3.16	0.99	0.98	0.015	0.0018	0	15.2
91	大林正三宅	横井戸	8/11	28.0	19.0	6.6	7.4	130.0	0.158	0.457	4.80	11.87	3.45	1.30	1.19	0.020	0.0010	0	16.6
92	北沢良祐宅北	横井戸	8/11	25.5	14.5	6.2	7.2	80.0	0.325	0.490	3.50	8.02	3.50	1.03	2.00	0.015	0.0018	0	19.1

平成2年 赤穂地区 分析結果

採水 NO.	採水地点	形状	月日	気温	水温	pH	RpH	電導度 μs/cm	酸度 meq/l	アルカリ度 meq/l	Cl mg/l	Ca mg/l	Mg mg/l	Na mg/l	K mg/l	COD mg/l	NH-N mg/l	NO-N mg/l	PO mg/l	SiO mg/l
10	大沢芳美宅	5m	08.12	25.8	13.5	5.2	6.6	119.9	3.532	0.455	11.00	31.92	0.00	1.43	0.74	0.18	0.00	0.000	0.00	10.00
11	米沢牧場	12m	08.12	23.0	16.1	5.6	7.3	109.0	3.416	1.088	3.60	2.57	10.35	0.98	4.44	1.41	0.00	0.002	0.00	10.00
12	横山一郎宅	5m	08.12	21.2	13.8	5.3	6.9	81.4	3.708	0.550	13.65	10.27	2.28	1.25	0.39	0.27	0.00	0.002	0.00	14.40
13	石原康春宅	4m	08.12	22.3	17.4	5.4	7.0	58.1	6.155	0.562	5.60	6.42	6.56	0.58	1.35	0.93	0.00	0.000	0.00	11.50
14	倉田 俊宅	30m	08.12	22.0	16.9	6.6	6.9	46.0	1.278	1.338	0.85	6.42	4.37	0.74	0.75	9.54	0.00	0.000	0.00	16.50
15	倉田宅横井戸	100m	08.12	21.0	13.1	5.8	7.0	31.9	4.761	0.811	0.45	5.37	4.52	0.47	0.40	0.71	0.00	0.001	0.00	11.10
16	倉田富夫宅	井戸	08.12	20.5	14.5	5.5	7.1	82.9	4.210	1.100	4.70	11.47	1.80	0.37	1.33	0.09	0.00	0.001	0.00	7.25

平成4年 駒ヶ根地区 分析結果

採水 NO	採水地点	形状	月日	気温	水温	pH	RpH	電導度 μs/cm	酸度 meq/l	アルカリ度 meq/l	Cl mg/l	Ca mg/l	Mg mg/l	Na mg/l	K mg/l	COD mg/l	NH-N mg/l	NO-N mg/l	PO mg/l	SiO mg/l
10	大沢芳美宅	5m	08.12	25.8	13.5	5.2	6.6	199.9	0.706	0.182	11.00	31.29	0.00	1.43	0.74	0.18	0.00	0.000	0.00	10.00
11	米沢牧場	12m	08.12	23.0	16.1	5.6	7.3	109.0	0.683	0.435	3.60	2.57	10.35	0.98	4.44	1.41	0.00	0.002	0.00	10.00
12	横山一郎宅	5m	08.12	21.2	13.8	5.3	6.9	81.4	0.742	0.220	13.65	10.27	2.28	1.25	0.39	0.27	0.00	0.002	0.00	14.40
13	石原康春宅	4m	08.12	22.3	17.4	5.4	7.0	58.1	1.231	0.225	5.60	6.42	6.56	0.58	1.35	0.93	0.00	0.000	0.00	11.50
14	倉田 俊宅	ホーリング50r	08.12	22.0	16.9	6.6	6.9	46.0	0.246	0.535	0.85	6.42	4.37	0.74	0.75	9.54	0.00	0.000	0.00	16.50
15	倉田 俊宅	横井戸100r	08.12	21.0	13.1	5.8	7.0	31.9	0.952	0.324	0.45	5.37	4.52	0.47	0.40	0.71	0.00	0.000	0.00	11.10
16	倉田富夫宅		08.12	20.5	14.5	5.5	7.1	82.9	0.842	0.440	4.70	11.47	1.80	0.37	1.33	0.09	0.00	0.001	0.00	7.25
17	小原正博宅	5m	07.31	21.4	14.8	5.3	7.0	110.0	0.854	0.332	5.90	11.39	4.37	4.20	6.45	2.73	0.00	検	0.00	8.75
18	倉田正義宅	井戸ホンプ	07.31	28.4	15.7	5.5	6.9	120.0	0.645	0.324	5.30	11.55	4.18	4.30	4.64	1.37	0.00	0.000	0.00	10.50
19	塩沢文仁宅	10m	07.31	30.2	14.9	5.0	7.2	102.0	1.036	0.376	6.85	11.63	1.94	4.70	5.68	0.00	0.00	検	0.00	12.75
20	石澤保人宅	横井戸	07.31	30.5	15.2	5.5	7.1	77.5	1.194	0.512	3.75	9.63	1.94	3.50	2.85	0.61	0.00	0.000	0.00	11.50
21	倉田五郎宅	井戸ホンプ	07.31	29.0	15.0	5.3	7.7	105.0	0.952	0.748	2.80	14.92	1.80	5.00	2.97	0.33	0.00	0.000	0.00	12.75
22	山本重治宅	50m	07.31	31.8	14.0	5.5	7.3	135.0	0.862	0.704	5.00	19.41	2.82	3.30	3.50	0.15	0.00	0.000	0.00	12.25
23	渋谷正一宅		07.31	32.8	18.1	5.3	7.1	98.0	1.603	0.388	3.60	12.35	1.99	3.20	4.33	1.12	0.00	検	0.00	12.25
24	大前一雄宅	井戸ホンプ	07.31	32.0	14.9	5.3	6.9	119.0	1.192	0.168	5.30	11.23	1.99	0.80	9.78	0.29	0.00	0.000	0.00	10.00
25	小川周次宅	7m	07.31	30.0	16.9	5.5	7.1	98.0	0.663	0.284	5.90	9.70	2.14	5.70	4.30	0.57	0.00	検	0.00	10.00
26	小町谷忠彦宅	横井戸250r	07.31	30.0	14.9	5.3	7.5	100.0	0.764	0.736	5.60	12.27	2.92	5.50	2.38	0.36	0.00	0.000	0.00	18.75
27	小平 厚宅	横井戸100r	07.31	29.4	13.9	5.3	7.0	100.0	1.483	0.328	9.15	12.19	2.33	3.10	4.61	1.38	0.00	0.000	0.00	10.00
28	小平 厚宅	7m	07.31	29.0	14.9	5.3	7.1	98.0	1.190	0.320	9.15	11.63	1.97	4.00	3.17	0.00	0.000	0.000	0.00	10.00
29	北村弥昌宅	4m	07.31	28.4	12.9	5.4	7.1	110.0	0.852	0.512	2.80	17.48	7.14	4.70	1.31	0.00	0.00	0.027	0.00	9.50
30	北島近男宅	井戸ホンプ	08.04	25.0	13.8	5.7	7.3	170.0	0.641	0.356	5.90	22.62	2.82	8.90	5.00	0.39	0.00	検	0.00	8.75
31	白鳥5百枝宅	井戸ホンプ	08.04	22.0	12.9	5.7	7.2	69.5	0.433	0.244	1.40	5.80	0.87	4.90	2.71	0.44	0.00	検	0.00	8.25
32	宮脇正武宅	6m	08.04	23.0	13.9	5.8	7.3	86.0	0.687	0.592	4.70	10.59	3.06	5.40	2.27	0.15	0.00	0.000	0.00	12.25
33	野々村和義宅	井戸ホンプ	08.04	22.5	12.9	5.7	7.0	73.8	0.415	0.216	1.40	6.01	1.60	3.50	2.36	0.48	0.00	検	0.00	8.25
34	龍水社	ホーリング60r	08.04	23.0	16.7	6.1	7.0	110.0	0.401	0.640	4.00	12.59	3.06	7.10	1.95	0.19	0.00	0.000	0.00	16.75
35	嶺山浦	井戸ホンプ	08.04	21.8	13.8	5.9	7.3	128.0	0.758	0.824	5.00	15.48	3.26	8.60	1.97	0.84	0.00	0.000	0.00	18.50
36	長生社	ホーリング80r	08.04	23.5	13.9	5.7	7.2	110.0	0.607	0.528	6.50	9.70	2.48	12.90	2.92	0.00	0.00	0.000	0.00	15.50
37	塩澤幸三宅	5m	08.04	19.8	16.1	5.7	7.1	110.0	0.786	0.444	6.80	15.24	1.46	4.30	3.99	0.48	0.00	0.002	0.00	8.25
38	矢澤 浩宅	3m	08.04	22.0	15.2	5.7	7.1	96.0	0.511	0.440	4.45	11.55	1.41	4.90	5.63	0.00	0.00	検	0.00	9.50
39	小林 勝宅	3m	08.05	26.0	17.6	5.0	7.1	94.0	0.729	0.456	4.45	11.39	1.51	5.20	2.71	0.70	0.00	検	0.00	7.75
40	北沢隆広宅	湧水	08.05	24.0	15.7	5.7	7.1	107.0	0.703	0.460	6.15	14.20	2.48	6.10	0.77	0.40	0.00	0.000	0.00	16.75
41	北沢隆広宅	横井戸40m	08.05	26.8	13.9	5.8	7.2	84.0	0.425	0.380	5.00	9.86	1.80	6.10	0.74	0.60	0.00	0.000	0.00	14.50
42	米澤良幸宅	6m	08.05	28.0	14.2	5.6	7.2	110.0	1.066	0.520	7.90	14.43	2.09	4.90	4.79	0.83	0.00	0.001	0.00	7.25
43	村沢貞夫宅	7m	08.05	27.8	13.3	5.7	7.2	105.0	0.503	0.404	5.60	12.83	2.33	4.20	3.67	0.22	0.00	検	0.00	8.25
44	赤穂高校	ホーリング10C	08.05	27.8	14.3	6.4	7.6	138.0	0.411	0.952	6.70	16.76	3.94	9.10	2.15	0.79	0.00	0.000	0.00	23.00
45	ヤマツリ味噌	ホーリング1C	08.05	28.5	15.5	6.4	7.7	105.0	0.325	0.828	5.40	11.79	2.58	8.40	1.56	0.03	0.00	0.000	0.00	20.75
46	市村 博宅	6m	08.05	28.0	17.3	6.4	7.1	33.8	0.084	0.292	1.95	4.17	1.36	1.50	1.59	0.61	0.00	0.002	0.00	8.25
47	株駒の根電化	ホーリング10C	08.05	28.3	15.3	7.0	7.7	140.0	0.168	0.592	6.80	17.08	4.13	7.80	1.31	0.17	0.00	0.000	0.00	20.75
48	中原嘉之吉宅	ホーリング30r	08.05	27.0	13.5	5.5	7.1	122.0	0.858	0.484	8.15	14.04	2.28	8.90	2.20	1.70	0.00	0.000	0.00	11.00
49	原 弘志宅	10m	08.07	29.2	15.4	5.5	7.3	98.0	0.990	0.508	7.15	12.19	2.58	4.80	1.84	1.70	0.00	0.000	0.00	10.00
50	大野豊光宅	4m	08.07	34.0	16.4	5.7	7.1	158.0	0.904	0.784	6.20	17.96	3.16	8.60	2.15	1.99	0.00	0.000	0.00	19.25
51	大野豊光宅	湧水	08.07	33.0	15.9	5.7	7.3	130.0	0.645	0.532	5.90	16.68	3.50	6.70	1.93	0.48	0.00	0.000	0.00	16.00
52	氣質澤忠男宅	6m	08.07	31.0	13.3	5.7	7.1	182.0	1.094	0.608	8.30	21.65	3.84	7.60	8.14	1.53	0.00	0.000	0.00	10.50
53	小松原 登宅	横井戸	08.07	30.0	17.1	6.7	7.5	105.0	0.128	0.380	3.90	10.83	2.19	7.00	2.03	1.93	0.00	検	0.00	18.00
54	池上英一宅	15m	08.07	31.0	14.6	5.7	7.5	120.0	0.737	0.484	8.15	11.79	2.67	10.20	1.56	1.82	0.00	0.000	0.00	13.25
55	福澤茂作宅	井戸ホンプ	08.07	29.0	12.3	5.5	7.0	19.5	0.196	0.224	0.55	1.84	1.80	2.30	0.75	1.98	0.00	0.000	0.00	9.50
56	中条子子夫宅	6m	08.07	28.3	14.8	6.8	7.7	105.0	0.152	0.600	3.05	12.59	3.21	7.80	1.86	1.96	0.00	0.000	0.00	18.00
57	中坪善義宅	横井戸30m	08.07	27.2	14.1	6.9	7.5	223.0	0.108	0.348	7.55	24.34	7.39	9.70	2.56	1.05	0.00	0.000	0.00	20.00
58	春日 貴宅	50m	08.07	26.3	16.5	6.3	7.6	125.0	0.383	0.692	6.70	12.28	3.50	6.30	2.39	1.21	0.00	0.000	0.00	13.75
59	北原文一宅	ホーリング50r	08.07	27.9	14.2	5.8	7.3	122.0	0.543	0.564	7.15	10.07	2.92	10.40	4.30	1.47	0.00	0.000	0.00	10.00
60	駒ヶ根病院	ホーリング60r	08.07	29.5	16.3	6.5	7.5	88.5	0.299	0.572	3.90	10.43	2.95	4.10	3.07	0.80	0.00	0.000	0.00	10.00

平成6年 富県・東春近地区 分析結果

採水 NO.	採水地点	形状	月日	気温	水温	pH	RpH	電導度 μs/cm	酸度 meq/l	アルカリ度 meq/l	Cl mg/l	Ca mg/l	Mg mg/l	Na mg/l	K mg/l	COD mg/l	NH-N mg/l	NO-N mg/l	PO mg/l	SiO mg/l
4	下尾彦尾宅	井戸3m	07.30	31.6	15.3	6.0	7.5	89.3	0.685	0.560	2.96	9.70	2.48	3.91	2.71	0.69	0.00	0.000	0.07	16.9
5	埋橋良和宅	湧水	07.30	31.6	15.0	7.3	7.7	63.7	0.148	0.740	6.18	3.21	4.11	1.21	0.00	0.00	0.000	0.08	34.2	
6	上荒井 山麓	湧水	07.30	28.5	12.0	6.8	7.4	51.8	0.190	0.632	0.11	5.61	3.30	4.70	1.28	0.22	0.00	0.000	0.05	22.2
7	園通閣	湧水	07.30	29.8	12.5	6.0	7.5	52.3	0.573	0.560	0.49	4.81	1.80	5.57	0.41	0.00	0.00	0.000	0.03	28.6
8	埋橋幸春宅	井戸3m	07.30	32.6	18.5	5.7	7.4	148.4	0.687	0.408	14.01	14.04	5.83	6.99	1.56	0.00	0.00	0.002	0.03	18.2
9	金鳳寺 下	湧水	07.30	30.0	14.2	6.4	7.4	64.4	0.409	0.704	0.65	6.58	1.85	6.29	1.09	0.00	0.03	0.000	0.15	32.3
10	伊藤 哲宅	井戸12m	07.30	28.0	15.0	6.3	7.3	171.3	0.605	1.000	6.85	20.85	3.94	3.87	0.00	0.00	0.00	0.000	0.02	9.0
11	田中良作宅上	湧水	07.30	30.0	19.8	5.9	7.1	153.9	1.083	0.728	0.68	17.08	3.35	9.81	5.45	0.00	0.00	0.000	0.03	18.2
12	田中良作宅下	湧水	07.30	30.0	18.3	5.8	7.2	173.9	1.150	0.672	10.78	18.85	3.40	11.28	6.96	0.00	0.00	0.000	0.01	19.6
13	池 田 水口	湧水	07.30	28.5	20.0	5.9	7.2	210.7	2.589	1.740	14.93	21.49	4.91	7.77	4.35	3.95	0.00	0.011	0.02	28.6
14	飯島牧場	横井戸	07.30	26.1	17.3	5.8	7.5	132.0	1.202	0.892	5.93	18.29	3.99	3.91	1.41	0.01	0.00	0.000	0.02	12.3
15	北沢バルブ	ホ 80m	07.30	28.0	21.0	6.5	7.8	168.9	0.529	1.252	6.85	18.21	9.57	4.41	0.92	0.00	0.00	0.002	0.03	22.2
16	田中忠男宅	横井戸	07.30	28.6	16.0	6.3	7.5	151.7	0.762	1.096	6.20	15.64	10.16	4.71	0.97	0.00	0.00	0.000	0.03	22.2
17	酒井金男宅	ホ 70m	07.30	28.6	16.0	6.8	7.6	188.3	0.449	0.724	7.55	25.50	5.35	6.83	1.18	0.00	0.00	0.000	0.02	25.3
18	伊藤徳雄宅	横井戸	07.30	31.0	14.5	6.0	7.1	130.0	0.587	0.636	18.19	12.59	5.59	6.88	1.25	0.00	0.00	0.000	0.07	32.3
19	飯島龍夫宅	井戸4m	07.30	34.2	17.8	6.2	7.4	160.7	1.022	1.132	8.68	19.25	6.08	6.05	2.25	0.00	0.00	0.000	0.00	12.3
20	柳沢 武宅	ホ 12m	07.30	27.3	14.8	6.8	7.8	237.7	0.689	2.076	10.13	40.50	5.39	5.32	1.66	0.00	0.00	0.000	0.02	14.4
21	中殿島 天竜庵	湧水	07.30	27.4	14.5	6.5	7.5	214.5	1.034	1.676	7.11	3.17	4.03	4.24	1.64	0.01	0.00	0.000	0.03	15.7

平成7年 新山地区 分析結果

採水 NO.	採水地点	形状	月日	気温	水温	pH	RpH	電導度 μs/cm	酸度 meq/l	アルカリ度 meq/l	Cl mg/l	Ca mg/l	Mg mg/l	Na mg/l	K mg/l	COD mg/l	NH-N mg/l	NO-N mg/l	PO mg/l	SiO mg/l
1	宮ノ原笹葉	湧水		28.0	17.0	6.0	6.6	84.9	0.411	0.414	5.60	8.42	2.67	5.95	1.68	0.46	0.00	0.000	0.00	16.4

平成8年 中沢地区 分析結果

採水 NO.	採水地点	形状	月日	気温	水温	pH	RpH	電導度 μs/cm	酸度 meq/l	アルカリ度 meq/l	Cl mg/l	Ca mg/l	Mg mg/l	Na mg/l	K mg/l	COD mg/l	NH-N mg/l	NO-N mg/l	PO mg/l	SiO mg/l
3	大曾倉 辰口氏宅	井戸	07.30	25	12.9	6.2	7.2	69.84	0.277	0.359	3.90	6.42	2.53	3.94	1.30	1.17	0.00	0.00	0.02	16.8
5	大曾倉 下口氏宅	湧水	07.30	27	16.0	6.1	6.9	25.63	0.287	0.264	0.99	2.09	0.53	2.93	0.62	1.73	0.00	0.00	0.00	15.6
6	中山	横井戸	07.30	30	15.0	6.5	7.5	128.48	0.283	0.984	5.31	15.64	4.28	6.63	1.77	0.24	0.00	0.00	0.00	17.5
7	本村	井戸	07.30	28	12.0	6.9	7.7	120.97	0.192	1.035	2.70	16.12	3.94	5.72	1.20	1.56	0.00	0.00	0.30	14.4
10	第1砂防堰堤下	湧水	07.30	24.5	11.0	6.9	7.4	52.01	0.144	0.454	0.99	5.45	1.70	2.62	1.67	1.59	0.00	0.00	0.23	16.2
18	永見山 北原氏宅	井戸	07.30	25	14.0	5.4	6.4	148.03	1.418	0.858	8.69	17.56	5.05	8.51	1.82	1.36	0.00	0.00	0.20	31.0
19	〃 下島氏宅	横井戸	07.30	26	18.0	6.4	7.0	40.00	0.270	0.385	0.99	2.81	2.04	4.84	1.30	1.58	0.00	0.00	0.29	33.1
20	中割 野村氏宅	井戸	07.30	26	14.8	5.8	6.1	70.46	0.728	0.391	5.31	6.74	1.90	4.14	2.58	1.44	0.00	0.00	0.00	19.4
21	上割	横井戸	07.30	27.5	18.2	6.6	6.8	109.52	0.183	0.405	6.80	11.23	3.65	6.96	2.30	1.51	0.00	0.00	0.06	24.7
23	〃 竹村久生氏宅	井戸	07.30	29.5	14.5	5.8	6.5	113.76	0.591	0.569	5.31	12.75	3.30	6.31	5.38	1.62	0.00	0.00	0.04	18.8
24	〃 竹村 務氏宅	横井戸	07.30	29.5	24.0	6.4	6.9	106.01	0.333	0.665	3.29	10.35	4.67	5.35	1.02	1.29	0.00	0.00	0.08	33.1
25	中割 竹村氏宅	井戸	07.30	31	20.6	6.6	6.9	62.43	0.182	0.467	3.29	6.50	2.24	3.80	1.98	1.50	0.00	0.00	0.07	14.4
26	本曾倉	井戸	07.30	33	16.0	6.0	6.4	125.52	0.662	2.713	3.90	13.15	4.81	6.81	2.20	1.59	0.00	0.00	0.03	22.4
27	原 下島健治氏宅	横井戸	07.30	32.5	17.0	5.9	6.2	112.47	0.918	0.597	8.96	14.28	3.40	4.97	2.92	1.56	0.00	0.00	0.08	10.0
28	〃 下島一穂氏宅	井戸	07.30	31	17.0	6.1	6.5	93.56	0.551	0.617	6.09	7.86	2.53	8.40	1.55	1.28	0.00	0.00	0.05	20.9
29	菅沼穴山	井戸	07.30	32	13.0	6.4	6.7	45.51	0.168	0.277	2.10	1.84	1.85	4.64	0.88	1.84	0.00	0.00	0.08	24.7
30	菅沼	横井戸	07.30	28	22.0	6.0	6.6	109.38	0.505	0.532	6.80	10.27	3.69	7.82	1.27	0.39	0.00	0.00	0.03	29.1
31	下割 森氏宅	井戸	07.30	30	20.1	6.0	6.6	94.63	0.533	0.584	6.09	10.35	3.21	4.74	1.87	0.69	0.00	0.00	0.04	18.8
32	〃 スタンド	横井戸	07.30	31	15.5	6.2	6.6	142.86	0.810	1.090	12.94	20.45	5.59	7.47	1.75	0.27	0.00	0.00	0.02	21.6

平成9年 伊那市手島・美篠・伊那部地区 分析結果

採水 NO.	採水地点	形状	月日	気温 ℃	水温 ℃	pH	RpH	電導度 μs/cm	酸度 meq/l	アルカリ度 meq/l	Cl mg/l	Ca mg/l	Mg mg/l	Na mg/l	K mg/l	COD mg/l	NH-N mg/l	NO-N mg/l	PO mg/l	SiO mg/l
1	声沢停留所前	井戸		23.6	14.0	6.0	7.3	197.4	0.898	1.000	14.55	18.13	7.58	9.84	3.80	1.13	0.00	0.000	0.014	2.78
2	南割天神様横井戸	10m		24.8	13.0	6.9	7.6	118.0	0.169	0.737	6.79	5.69	5.44	4.19	1.90	1.01	0.00	0.000	0.106	10.61
3	笠原有賀	井戸		25.8	14.8	5.8	7.7	457.2	1.112	1.014	31.91	24.46	11.91	28.35	19.30	0.00	0.00	0.002	0.018	10.10
4	酒井栄一宅井戸	井戸6m		28.0	15.5	5.8	7.5	243.4	0.625	0.649	16.71	11.07	6.37	12.51	17.70	0.53	0.00	0.004	0.125	7.83
5																				
6	蟹沢集落上	湧水		27.8	16.2	7.0	7.2	577.9	0.109	0.453	5.01	4.41	2.19	4.34	1.05	0.98	0.00	痕跡	0.039	7.32
7																				
8																				
9	石倉千代春宅井戸	井戸6m		22.2	15.0	6.4	7.4	192.7	0.265	0.491	16.22	8.66	4.33	10.59	8.40	0.00	0.00	0.013	0.018	7.83
10	蟹沢豊治宅井戸	井戸		25.5	13.8	5.8	7.2	126.7	0.626	0.461	11.86	10.83	5.30	5.82	3.60	1.24	0.00	0.001	0.000	4.55
11	三沢裕幸宅井戸	井戸		24.2	11.0	5.9	7.1	147.8	0.489	0.383	22.31	6.58	4.81	12.71	5.20	0.00	0.00	0.002	0.000	4.55
12	春日文夫宅井戸	井戸		23.8	15.2	6.6	7.7	130.0	0.309	0.729	10.78	8.34	4.03	6.96	1.85	0.01	0.00	0.000	0.048	16.31
13	JA手島スナド横井戸	井戸		26.2	17.8	6.8	7.4	462.0	0.118	0.291	5.28	3.37	1.46	4.44	1.35	0.00	0.00	0.000	0.008	6.67
14	向山幸人宅井戸	井戸		27.0	13.0	16.2	7.6	236.0	0.495	0.685	10.78	17.56	6.76	4.84	1.80	0.00	0.00	0.002	0.000	6.67
15	向山文司宅井戸	井戸		29.0	13.5	6.0	7.4	230.9	0.803	0.985	21.78	19.89	7.78	11.35	8.05	0.00	0.00	0.000	0.000	5.56
16	今井良代宅井戸	井戸		28.0	10.8	5.6	7.1	516.9	0.384	0.140	11.86	1.84	1.36	4.31	5.50	0.00	0.00	0.000	0.000	4.49
17	福島水源上湧水	湧水		25.0	11.5	6.0	7.4	116.7	0.448	0.529	14.01	6.98	3.94	6.46	1.90	0.00	0.00	0.000	0.009	8.84
18	福島三沢孝之宅井戸	井戸5m		25.0	17.0	6.2	7.4	168.7	0.368	0.497	12.40	9.22	5.59	7.82	3.30	0.00	0.00	0.000	0.159	5.56
19	唐木厚武宅井戸	井戸7m		25.0	11.5	6.1	7.3	151.7	0.536	0.629	11.86	10.67	4.96	6.26	2.55	0.00	0.00	0.000	0.039	3.79
20	篠田英男宅井戸	4.5m		27.0	13.0	6.2	7.4	134.8	0.555	0.788	13.48	11.47	6.66	7.57	1.85	0.00	0.00	0.000	0.048	11.21
21	嶺南信成化成ホーリング井戸	80m		23.8	11.4	6.0	7.2	127.3	0.216	0.854	11.86	11.95	6.22	7.70	1.60	0.00	0.00	0.000	0.039	7.83
22	木下茂人宅井戸	15m		24.0	14.0	6.4	7.5	131.6	0.433	1.022	7.71	16.92	5.59	3.86	2.10	0.00	0.00	0.000	0.028	10.10
23	春日徹宅井戸	井戸		24.0	16.5	6.5	7.2	263.7	1.054	2.102	13.48	34.97	11.57	5.65	1.45	0.00	0.00	0.000	0.018	7.83
24	大暮化学 井戸	40m		25.0	16.0	6.8	8.2	272.0	0.522	2.305	15.15	35.93	10.21	5.82	2.05	0.00	0.00	0.000	0.009	4.55
25	山岸秀男宅井戸	10m		29.0	14.0	6.4	7.6	155.5	0.473	0.954	11.32	19.09	6.32	4.14	1.70	0.00	0.00	0.000	0.028	10.61
26	赤羽隆宅井戸	6m		27.0	17.0	6.7	7.7	122.7	0.327	0.994	3.93	14.28	5.78	2.75	3.70	0.00	0.00	0.000	0.028	4.55
27	小林ポディーニ宅井戸	3m		28.5	17.0	6.2	7.5	219.8	0.489	0.593	15.63	18.61	8.51	6.58	2.50	0.00	0.00	0.000	0.028	6.67
28	白鳥伝衛宅井戸	5m		31.5	15.0	6.5	8.1	315.8	1.034	2.132	16.17	37.69	12.05	5.80	2.55	0.00	0.00	0.000	0.018	11.21
29	青島建設社長宅井戸	23m		30.2	14.8	6.6	8.2	428.1	0.525	3.072	20.10	50.77	15.02	5.72	3.30	0.00	0.00	0.000	0.014	16.67
30	昭石ガソリン井戸	35m		32.8	14.4	6.5	7.8	132.0	0.567	1.152	14.01	18.85	9.91	5.65	2.60	0.00	0.00	0.000	0.028	8.89
31	伊那公園下GS井戸	井戸		32.0	14.5	6.4	7.8	211.3	0.747	1.433	16.71	24.62	9.91	8.02	3.30	0.00	0.00	0.000	0.028	7.83
32	中村勝宅井戸	10m		30.3	12.3	6.5	7.8	251.5	1.040	1.988	10.78	31.12	11.23	5.82	2.75	0.00	0.00	0.000	0.033	4.55
33	廣表共同井戸	10m		30.0	13.8	6.4	7.4	211.5	0.914	1.601	11.32	23.46	8.51	8.02	2.95	0.67	0.00	0.000	0.000	5.56
	伊那市役所井戸	4m		27.0	17.0	6.7	7.7	245.4	0.571	1.836	14.01	32.28	9.82	7.06	2.40	0.00	0.00	0.005	0.009	11.21

平成11年 中川村南向 分析結果

採水 NO.	採水地点	形状	月日	気温	水温	pH	RpH	電導度 μs/cm	酸度 meq/l	アルカリ度 meq/l	Cl mg/l	Ca mg/l	Mg mg/l	Na mg/l	K mg/l	COD mg/l	NH-N mg/l	NO-N mg/l	PO mg/l	SiO mg/l
1	北島正俊氏宅	井戸		28.0	20.0	6.1	7.5	210.7	0.798	0.838	24.52	16.52	8.51	11.91	8.81	0.07	0.02	0.000	0.012	13.38
2	小池宗大氏宅	横井戸10m	1	29.5	14.5	6.4	7.4	173.3	0.230	0.489	13.80	12.03	10.16	6.71	1.47	0.00	0.06	0.000	0.009	16.87
3	小池宗大氏宅	横井戸30m	2	29.5	18.0	6.4	7.7	180.0	0.413	0.737	9.22	15.24	8.60	5.50	2.97	0.00	0.03	0.000	0.014	17.83
4	有賀一男氏宅	井戸3m		29.5	13.5	5.4	7.1	55.5	0.595	0.208	4.58	4.57	6.46	3.03	1.25	0.21	0.06	0.000	0.000	8.38
5	片桐正美氏宅	横井戸300m		32.0	16.0	5.7	7.5	167.4	0.685	0.717	9.70	13.47	9.96	7.59	3.12	0.18	0.02	0.000	0.017	13.94
6	南澤秋弘氏宅	井戸4m		30.5	13.5	5.5	7.2	188.7	0.665	0.573	13.80	14.84	13.22	9.16	4.18	0.03	0.03	0.000	0.004	19.24
7	永井正男氏宅	横井戸		33.0	17.0	6.9	7.5	204.5	0.172	0.930	10.78	10.59	13.22	7.57	1.27	0.03	0.10	0.000	0.004	17.47
8	米山俊博氏宅	井戸15m		31.5	14.5	5.6	7.5	238.4	1.737	1.880	17.36	27.35	10.94	9.72	3.77	0.36	0.00	0.000	0.019	13.38
9	下平かつ江氏宅	横井戸10m		31.0	13.0	5.4	6.8	191.0	1.259	0.593	14.55	12.43	10.21	9.16	1.02	0.00	0.00	0.000	0.013	18.79
10	細田繁明氏宅	横井戸20m		32.0	18.0	7.4	7.7	105.0	0.064	0.681	9.22	9.62	5.39	4.92	2.03	0.20	0.00	0.000	0.004	13.38
11	延寿院 1	井戸80m		31.0	22.0	6.7	7.6	183.8	0.345	0.609	16.01	18.13	8.07	9.72	2.23	0.01	0.00	0.000	0.000	18.08
12	延寿院 2	横井戸30m		31.0	14.5	6.3	7.2	162.5	0.465	0.613	19.08	10.75	7.58	10.26	1.45	0.00	0.00	0.000	0.004	18.08
13	知久健一氏宅	横井戸		30.0	16.5	6.0	7.4	206.8	0.513	0.409	15.95	17.64	10.74	9.42	2.05	1.85	0.00	0.000	0.004	11.41
14	永原光治氏宅	井戸8m		29.0	13.5	5.4	7.5	111.0	0.762	0.537	5.39	8.90	7.73	6.33	4.45	0.01	0.00	0.000	0.000	12.52
15	真島隆幸氏宅	横井戸150m		29.0	14.0	6.2	7.5	131.6	0.441	0.577	11.75	10.75	8.26	7.57	3.12	0.27	0.00	0.000	0.014	7.78
16	小松壮一氏宅	横井戸600m		27.0	18.5	5.5	7.2	148.4	0.605	0.257	13.48	11.63	8.21	6.71	1.58	0.23	0.00	0.000	0.013	12.52
17	高永敏久氏宅	井戸107m		24.0	15.5	6.5	7.7	111.1	0.351	0.794	5.98	7.14	8.89	4.92	2.44	0.03	0.00	0.000	0.000	20.55
18	高永敏昭氏宅	井戸24m		28.0	18.0	6.0	7.5	180.0	0.417	0.409	18.43	10.67	9.53	9.16	1.68	0.00	0.00	0.006	0.000	11.31
19	柳沢大平水源	横井戸		25.5	13.5	6.7	7.5	74.4	0.200	0.625	2.96	6.26	4.81	6.98	2.56	0.11	0.00	0.005	0.014	19.29
20	鹿養寿弘氏宅	横井戸		24.2	13.5	5.9	7.3	59.9	0.393	0.425	2.10	5.77	4.86	4.46	0.97	0.00	0.00	0.000	0.000	13.38
21	三幸	井戸		29.0	21.0	7.1	7.5	61.9	0.144	0.605	2.05	6.02	5.69	5.38	3.36	0.00	0.00	0.000	0.000	15.86
22	遠山泰夫氏宅	横井戸40m		27.0	12.0	6.7	7.2	24.2	0.100	0.228	1.56	1.52	1.75	3.58	0.63	0.00	0.00	0.000	0.010	12.93
23	中川正美氏宅	横井戸		28.0	15.0	5.7	7.8	128.5	0.868	0.986	6.09	12.35	5.30	8.35	1.69	0.17	0.00	0.000	0.000	12.83
24	寺平 稔氏宅	井戸		31.0	16.5	4.8	6.5	217.2	0.910	0.036	16.22	13.95	10.11	5.61	7.58	0.00	0.00	痕跡	0.000	5.35
25	間柱水源池北	横井戸		28.0	13.0	6.4	7.3	70.2	0.505	0.693	2.10	5.37	5.78	3.30	8.70	0.00	0.00	0.000	0.000	13.94
26	間柱水源池南	横井戸		29.0	13.0	6.4	7.5	88.8	0.603	0.842	4.96	5.77	8.02	4.34	5.32	0.48	0.00	0.000	0.000	16.46
27	常泉寺	横井戸		29.0	19.0	6.9	7.2	24.5	0.056	0.168	1.83	1.76	2.04	2.45	3.64	0.47	0.00	0.000	0.000	6.77
28	安富久和氏宅	井戸		31.0	15.0	6.0	7.5	214.1	0.910	1.114	14.01	15.24	8.65	12.87	14.28	0.00	0.00	0.000	0.006	11.31
29	高坂清人氏宅	井戸		30.0	14.5	6.4	7.5	95.3	0.397	0.653	4.58	8.82	6.80	4.73	4.30	0.70	0.00	0.000	0.000	11.31
30	中塚和夫氏宅	井戸		28.0	15.0	6.3	7.5	68.5	0.389	0.633	1.24	5.77	3.06	6.21	1.64	0.00	0.00	0.000	0.000	14.95
31	松井治雄氏宅	井戸10m		29.0	13.2	5.3	6.9	128.6	0.557	5.291	17.36	5.21	3.94	11.64	9.73	0.17	0.00	痕跡	0.000	8.38
32	米沢酒造	横井戸50m		29.5	15.0	6.1	7.3	98.5	0.357	0.397	6.47	8.02	6.17	7.47	2.61	0.07	0.00	0.000	0.000	15.55
33	寺平宏氏宅	横井戸150m		22.0	14.0	5.9	7.1	29.6	0.357	0.244	18.43	25.74	12.93	7.10	6.84	0.00	0.00	0.005	0.000	11.82
34	下平和明氏宅	横井戸	南	23.0	14.5	5.9	7.3	134.3	0.497	0.465	9.22	10.83	10.84	7.19	2.30	0.00	0.00	0.000	0.000	15.00
35	下平和明氏宅	横井戸	北	21.0	16.0	6.1	7.3	125.5	0.311	0.277	8.19	9.94	8.36	6.33	3.03	0.06	0.00	0.000	0.000	11.82
36	下平和明氏宅	横井戸	家	26.0	15.0	6.0	7.3	160.6	0.271	0.281	10.24	15.24	8.07	5.38	4.76	0.33	0.00	0.001	0.000	6.77
37	横前 仁氏宅	横井戸		26.5	13.0	6.2	6.7	42.7	0.345	0.349	0.97	3.45	6.76	3.76	0.84	0.00	0.00	0.000	0.000	18.08
38	橋爪製作所	井戸7m		28.0	16.0	5.8	6.4	219.7	1.323	0.782	10.24	21.57	13.07	6.07	4.15	0.94	0.00	0.000	0.021	15.86
39	白沢文雄氏宅南	横井戸10m		26.9	15.5	6.8	7.2	59.3	0.900	0.305	3.29	3.85	2.43	4.14	3.12	0.06	0.00	0.000	0.000	11.72
40	杉沢高雄氏宅	横井戸		26.7	14.0	5.8	6.2	40.6	0.401	0.192	1.56	2.89	2.58	4.14	1.33	0.00	0.00	0.004	0.021	13.38
41	白澤勝一氏宅	横井戸		28.0	12.8	5.9	6.5	50.8	0.417	0.240	1.56	3.77	2.09	4.14	1.04	0.36	0.00	0.000	0.000	9.80
42	宮澤幹氏宅 東口	横井戸50m		29.0	13.0	6.1	6.7	118.0	0.605	0.657	2.10	12.27	6.66	4.92	1.74	0.30	0.00	0.000	0.014	15.55
43	宮澤幹氏宅 南	湧水		29.0	15.0	6.6	7.0	155.2	0.345	0.681	5.71	16.84	8.99	5.38	3.05	0.40	0.00	0.003	0.009	13.94
44	小川清美氏宅	横井戸200m		27.5	20.0	6.4	7.4	148.5	0.449	0.713	9.70	12.27	7.82	7.10	2.23	0.00	0.00	0.002	0.010	15.35
45	小松昌章氏宅	横井戸30m		30.5	15.5	5.8	7.1	111.1	0.878	0.545	3.29	10.27	0.00	5.38	2.05	0.00	0.00	0.000	0.009	14.34
46	石原 守氏宅	横井戸		28.8	15.5	6.8	7.4	47.6	0.084	0.305	1.83	3.53	1.51	4.24	1.08	0.00	0.00	0.000	0.011	14.44
47	平沢 進氏宅	横井戸100m		28.5	19.0	6.5	7.2	24.5	0.122	0.232	0.02	1.60	13.71	3.58	0.74	0.74	0.00	0.000	0.000	11.72
48	寺平美之氏宅	横井戸50m		28.5	18.5	7.1	7.2	25.7	0.056	0.172	0.75	1.60	6.22	3.21	0.33	0.71	0.00	0.000	0.000	11.72
49	吉川富雄氏宅	横井戸		29.0	23.0	6.5	7.3	36.0	0.188	0.321	1.56	2.17	3.30	4.62	0.61	0.13	0.00	0.000	0.000	17.02
50	小池弘光氏宅	横井戸40m		29.0	15.0	6.0	7.2	98.5	0.413	0.393	5.71	7.86	7.29	5.72	1.18	0.00	0.00	0.000	0.009	13.84
51	坂下 純氏宅	横井戸		29.0	21.0	6.8	7.5	112.6	0.122	0.501	6.47	8.82	7.58	7.33	1.35	0.09	0.00	0.002	0.010	15.55

平成12年 中川村片桐 分析結果

採水 NO	採水地点	形状	月日	気温	水温	pH	RpH	電導度 μs/cm	酸度 meq/l	アルカリ度 meq/l	Cl mg/l	Ca mg/l	Mg mg/l	Na mg/l	K mg/l	COD mg/l	NH-N mg/l	NO-N mg/l	PO mg/l	SiO mg/l
1	片桐と松川町境山	横井戸		21.0	14.0	7.0	7.4	105.3	0.168	0.441	5.34	8.42	4.13	5.05	0.80	0.00	0.00	0.000	0.200	7.78
2	高田 勇様宅	横井戸		26.2	17.4	6.2	7.4	103.4	0.593	0.637	5.71	9.62	4.62	7.47	2.12	0.00	0.00	0.000	0.172	13.33
3	宮崎 守様宅	横井戸		27.0	17.0	7.2	7.5	112.5	0.345	0.617	5.34	9.38	3.60	7.47	0.44	0.00	0.00	0.000	0.167	12.22
4	宮沢重一様宅	井戸2.5m		27.5	14.5	5.8	6.9	119.2	0.457	0.208	6.14	6.10	2.33	9.28	7.45	0.00	0.00	痕跡	0.145	9.39
5	西村仁成様宅	横井戸		27.8	11.5	5.9	6.8	63.0	0.309	0.156	3.29	3.77	1.70	5.70	0.70	0.03	0.00	0.000	0.162	9.39
6	矢澤敏夫様宅	横井戸		24.0	16.5	7.2	7.3	96.2	0.112	0.325	4.96	8.98	1.80	5.40	1.12	0.00	0.00	0.000	0.167	4.44
7	大島良雄様宅	横井戸		22.3	12.0	6.9	7.4	48.4	0.164	0.401	2.16	2.49	1.80	6.31	0.42	0.00	0.00	0.000	0.242	14.44
8	大島すみ子様宅	井戸		22.0	14.0	5.6	6.8	115.1	1.142	0.497	7.71	14.36	2.53	3.38	2.30	0.00	0.00	0.000	0.014	0.00
9	宮崎嘉明様宅	横井戸		24.0	14.5	5.8	7.2	73.7	0.309	0.345	4.58	6.50	1.70	5.85	1.42	0.00	0.00	0.000	0.125	9.39
10	宮崎博美様宅	井戸280m		28.0	23.0	6.6	7.6	99.1	0.305	0.585	8.46	8.98	3.99	5.70	0.90	0.00	0.00	0.000	0.231	13.94
11	宮崎博美様宅	井戸5m		28.0	14.3	5.8	7.0	78.4	0.393	0.168	8.71	6.18	2.48	2.83	3.50	0.00	0.00	0.000	0.086	0.00
12	大島男様宅	横井戸5m		28.0	17.5	6.5	7.4	91.0	0.369	0.513	7.71	8.02	2.53	6.05	1.12	0.00	0.00	0.000	0.183	6.67
13	市瀬友子様宅	横井戸		27.3	18.0	6.6	7.3	82.0	0.281	0.461	5.34	8.66	1.56	4.44	2.38	0.14	0.00	0.000	0.220	2.73
14	大島二郎様宅	横井戸		26.2	18.3	6.8	7.4	71.5	0.180	0.381	2.70	5.21	1.56	6.46	0.86	0.60	0.00	0.000	0.048	8.89
15	高橋茂雄様宅	横井戸		25.5	15.5	6.3	7.2	97.4	0.313	0.417	7.92	8.42	2.87	4.84	1.52	0.00	0.00	0.000	0.125	6.67
16	西村五介様宅	井戸5m		27.8	16.2	5.6	7.1	124.9	0.585	0.257	8.71	11.55	2.72	3.83	3.82	0.00	0.00	0.000	0.067	0.00
17	沢田祐一様宅	井戸5m		25.8	15.1	5.5	7.0	74.3	0.970	0.224	7.71	6.42	2.04	2.83	2.75	0.00	0.00	0.000	0.000	0.00
18	宮崎芳美様宅	横井戸		23.0	14.0	6.2	6.9	131.6	0.232	0.180	10.78	11.07	5.25	4.84	0.73	0.00	0.00	0.000	0.096	5.66
19	大島房良様宅	横井戸		26.0	17.8	6.2	6.9	120.5	0.168	0.561	6.85	12.03	8.46	5.25	1.75	0.00	0.00	0.000	0.000	3.33
20	米山勝博様宅	井戸5m		29.0	16.0	6.4	7.3	125.5	0.329	0.545	6.85	9.06	0.24	6.83	1.12	0.00	0.00	0.000	0.091	10.50
21	中森運行様宅	井戸		30.5	17.2	6.0	7.4	162.9	0.705	1.114	14.01	12.83	5.35	11.20	2.16	0.96	0.00	0.000	0.106	11.72
22	土山幸男様宅	井戸		33.0	13.5	5.9	6.9	122.1	0.573	0.601	6.85	11.31	4.33	3.94	4.72	0.00	0.00	0.000	0.106	6.16
23	松村金夫様宅	湧水		32.0	16.8	6.2	7.2	74.0	0.409	0.505	2.96	7.94	1.90	3.33	3.10	0.00	0.00	0.000	0.018	1.11
24	北沢邦子様宅	井戸2m		30.0	13.2	6.0	7.0	111.8	0.649	0.697	2.70	12.43	1.22	4.74	2.85	0.00	0.00	0.000	0.096	6.67
25	前沢 尚様宅	横井戸10m		32.0	23.0	6.0	7.2	99.1	0.433	0.433	4.58	12.83	0.87	4.94	1.20	0.00	0.00	0.000	0.125	11.11
26	堤の原	井戸285m		31.5	13.8	5.9	7.2	70.5	0.441	0.441	6.47	4.89	1.85	6.31	1.35	0.00	0.00	痕跡	0.048	7.27

平成14年 長谷地区 分析結果

採水地点 NO.	形状	月日	気温	水温	pH	RpH	電導度 μs/cm	酸度 meq/l	アルカリ度Cl mg/l	Ca mg/l	Mg mg/l	Na mg/l	K mg/l	COD mg/l	NH-N mg/l	NO-N mg/l	PO mg/l	SiO mg/l	
1	非持山北原英弘氏宅	横井戸50m	31.2	14.1	7.3	7.6	80.9	0.080	0.421	2.70	6.02	3.99	3.53	1.62	0.00	0.00	0.000	痕跡	16.77
2	非持山水道水水源	湧水	17.0	13.0	6.6	7.6	102.2	0.353	1.086	2.16	8.10	8.12	1.97	1.10	0.00	0.00	0.000	0.000	16.77
3	非持有賀 肇氏ハウス	湧水	32.9	20.0	7.2	7.6	143.7	0.277	0.445	4.15	14.92	7.53	4.19	1.20	2.92	0.00	0.000	0.000	15.15
4	非持伊藤良信氏宅	ボーリング30m	32.0	14.7	7.5	7.9	161.7	0.441	3.030	11.75	26.95	10.45	26.64	1.52	0.00	0.00	0.001	0.000	19.49
5	南非持中山善郎氏宅	ボーリング62m	31.0	18.4	7.5	8.0	228.0	0.200	2.252	1.83	10.27	5.35	38.95	3.05	0.00	0.00	0.000	痕跡	18.18
6	溝口中山晶計氏宅	縦井戸	29.5	12.0	6.2	7.7	161.3	0.689	0.970	4.15	10.83	10.30	4.79	1.98	0.00	0.00	0.006	0.120	17.47
7	溝口取水源	湧水	22.5	15.5	7.6	8.0	124.9	0.120	1.459	1.51	10.91	10.55	1.66	0.66	0.61	0.00	0.001	痕跡	15.66
8	汀ノ沢水源	湧水	22.5	8.2	7.5	7.6	67.6	0.080	0.681	1.24	7.62	3.69	1.78	0.36	0.00	0.00	0.000	0.000	15.66
9	柏木配水池	湧水	27.0	11.8	7.4	8.0	150.5	0.180	1.651	1.83	11.47	12.68	1.29	0.92	0.00	0.00	0.002	0.000	15.15
10	溝口中山和文氏宅	横井戸50m	29.8	13.0	6.3	7.6	144.9	0.485	0.802	6.09	13.23	6.56	3.87	2.52	0.00	0.00	0.000	痕跡	13.94
11	黒河内久保田英則氏宅	横井戸	29.8	13.0	6.7	7.4	92.7	0.088	0.289	5.39	5.77	5.25	5.15	0.90	0.00	0.00	0.000	0.000	19.49
12	黒川黒河内浩人氏宅	湧水	31.5	18.0	7.5	7.9	180.0	0.200	1.627	3.02	22.14	9.43	3.09	1.14	0.92	0.00	0.000	0.000	18.18
13	戸台石川栄子氏宅	湧水	29.5	16.0	7.2	7.9	113.0	0.172	1.158	1.24	14.76	4.52	4.19	0.65	0.17	0.00	0.000	0.000	15.66
14	戸台橋本山荘北	湧水	28.5	17.0	7.6	8.0	184.0	0.164	1.663	1.24	24.30	6.90	3.76	0.94	0.21	0.00	0.000	0.000	15.66
18	巫女測延命水	湧水	24.0	7.0	7.8	8.0	112.1	0.064	1.174	0.92	26.87	5.35	1.39	0.32	0.00	0.00	0.000	0.000	10.10
20	小瀬戸温泉	鉱泉	26.1	19.0	7.2	8.2	122.3	0.437	1.764	44.74	14.44	5.98	322.88	7.11	2.87	0.00	0.000	0.030	12.83
21	杉島宮下定博氏宅	横井戸10m	31.2	13.8	7.2	8.2	339.4	1.034	3.836	1.83	42.67	20.27	5.27	1.45	0.00	0.00	0.000	0.000	12.32
22	市野瀬水道水源	湧水	26.8	12.0	7.4	8.0	64.2	0.152	0.665	1.24	7.22	3.01	3.85	0.86	0.06	0.00	0.000	痕跡	16.77
23	市野瀬「気」の水	湧水	19.0	13.2	7.1	7.6	111.8	0.168	0.866	4.74	10.43	6.95	3.28	0.44	0.00	0.00	0.000	0.000	14.44
24	馬越伊東英幸氏宅	湧水	24.4	13.2	7.4	8.2	115.2	0.156	1.194	1.83	12.83	5.69	6.07	0.64	0.00	0.00	0.000	0.000	16.77
25	中尾西村 桂氏宅	横井戸20m	21.0	14.3	6.2	7.5	125.2	0.409	0.649	5.39	8.42	8.16	4.19	1.35	0.10	0.00	0.000	痕跡	18.18
26	浦西村惟史氏宅	湧水	19.8	12.2	6.0	7.4	66.5	0.537	0.545	2.16	6.02	3.74	1.84	2.48	0.37	0.00	0.000	0.050	15.66

平成15年 高遠 長藤・藤沢地区 分析結果

採水地点 NO.	形状	月日	気温	水温	pH	RpH	電導度 μ s/cm	酸度 meq/l	アルカリ度 Cl meq/l mg/l	Ca mg/l	Mg mg/l	Na mg/l	K mg/l	COD mg/l	NH-N mg/l	NO-N mg/l	PO mg/l	SiO mg/l	
3 飯島忠義氏宅 芝平	湧水		20.5	13.8	7.2	7.6	44.1	0.184	0.477	0.81	4.09	3.30	1.92	0.35	0.08	0.00	0.000	0.000	2.12
4 下芝平	湧水		18.0	10.0	7.0	7.4	53.4	0.172	0.593	1.89	3.53	5.49	1.72	0.52	0.00	0.00	0.001	0.000	9.39
6 栗ノ木立	湧水		19.0	11.5	7.9	8.0	112.0	0.128	1.242	1.08	8.10	10.84	1.66	0.68	0.10	0.00	0.006	0.003	2.73
7 弘妙寺	湧水		20.2	13.0	6.8	7.5	79.8	0.244	0.866	1.62	4.49	8.46	1.87	0.30	1.17	0.00	0.001	0.000	4.44
10 大清水	湧水		22.5	11.5	6.7	7.7	116.7	0.373	0.914	5.07	9.54	8.41	3.43	1.20	0.68	0.00	0.000	0.000	6.67
12 原太郎氏宅	湧水		22.0	16.8	7.0	7.9	102.7	0.124	0.994	1.89	10.19	5.98	2.12	0.44	0.00	0.00	0.000	0.000	1.41
13 川辺清水	湧水		25.0	11.5	6.7	7.5	105.0	0.144	0.517	6.47	9.94	3.94	3.38	1.40	6.35	0.00	0.000	0.006	0.00
14 長谷部アジア館	湧水		21.0	11.8	5.2	6.3	95.0	1.475	0.200	20.48	6.42	5.39	3.53	0.78	0.03	0.00	0.000	0.000	1.11
16 守屋嘉吉氏宅 片倉	縦井戸3.5m		22.1	16.1	6.0	7.2	271.3	0.549	0.537	16.17	17.24	8.89	9.89	13.75	0.59	0.00	0.000	0.000	4.44
17 千代田湖上	湧水		18.2	14.0	7.1	7.3	52.6	0.064	0.541	3.77	4.41	4.28	1.41	0.25	1.60	0.00	0.000	0.000	0.00
19 松倉	湧水		25.0	16.4	5.7	6.3	68.4	0.790	0.501	2.70	5.45	3.16	2.52	1.60	0.14	0.00	0.000	0.000	1.11
20 藤澤正彦氏宅 御堂垣外	湧水		29.0	12.0	6.3	6.8	67.4	0.313	0.517	0.81	4.89	3.01	2.17	0.80	0.01	0.00	0.000	0.008	0.00
21 唐沢保人氏宅 水上	湧水		26.0	12.0	6.4	7.0	82.9	0.453	0.705	2.16	6.02	4.81	3.08	0.71	0.22	0.00	0.000	0.033	0.00
22 赤羽鶴江氏宅 水上	湧水		26.5	14.0	7.5	7.6	137.1	0.124	1.351	0.54	13.15	6.61	4.54	0.88	0.00	0.00	0.000	0.000	0.00
23 伊藤邦人氏宅 北原	湧水		27.0	19.5	6.6	7.1	164.6	0.485	1.110	5.39	14.92	6.51	3.88	2.60	0.52	0.00	0.000	0.000	0.00
25 廣勝寺	湧水		23.0	18.0	6.4	7.1	55.5	0.232	0.545	0.54	5.77	2.72	2.67	0.48	0.21	0.00	0.000	0.000	1.62
26 とりふじ山荘	鉱泉		25.8	14.1	6.8	7.2	75.5	0.200	0.729	1.89	7.62	4.13	3.13	0.58	1.41	0.00	0.000	0.000	1.11
28 北原直彦氏宅 中條	横井戸		26.5	14.0	6.3	6.8	53.7	0.321	0.529	0.54	5.69	2.53	2.12	0.72	0.11	0.00	0.000	0.000	1.11
29 北原正信氏宅 中村	横井戸		29.0	16.0	6.4	7.0	141.2	0.593	1.250	1.89	10.59	6.32	7.11	1.80	0.25	0.00	0.000	0.006	10.00
30 保科武雄氏宅 野笹	縦井戸		27.8	13.8	5.8	6.8	187.3	0.625	0.481	5.39	13.47	6.08	5.60	1.40	1.28	0.00	0.000	0.006	7.27

平成16年 高遠町 高遠・河南地区 分析結果

採水地点 NO.	形状	月日	気温	水温	pH	RpH	電導度 μs/cm	酸度 meq/l	アルカリ度 Cl mg/l	Ca mg/l	Mg mg/l	Na mg/l	K mg/l	COD mg/l	NH-N mg/l	NO-N mg/l	PO mg/l	SiO mg/l	
1 鍛冶町 広瀬和夫氏宅	横井戸		28.0	18.0	6.9	7.6	95.0	0.289	1.002	1.35	7.38	5.98	5.80	1.28	0.00	0.00	0.000	0.006	18.18
2 的場 小笠原治男氏宅	湧水		29.0	16.0	6.1	7.4	125.5	1.026	1.062	1.08	9.94	6.12	5.50	1.18	0.00	0.00	0.000	0.003	21.72
3 蓮華寺	湧水		26.5	19.0	6.9	7.5	91.0	0.325	0.802	2.70	8.34	4.81	4.99	1.35	0.00	0.00	0.000	0.000	14.44
4 鉾持神社 洗水	水道水		29.5	23.0	7.4	7.6	70.3	0.152	0.609	3.23	6.18	2.43	5.85	1.50	1.14	0.00	0.001	0.006	11.82
5 諸町 水場	横井戸		27.0	16.5	7.1	7.5	71.4	0.244	0.717	1.62	6.66	2.62	5.43	1.30	0.00	0.00	0.000	0.000	19.59
6 鉾持神社	湧水		27.0	20.0	6.5	7.7	95.8	0.545	1.042	2.16	10.03	1.99	6.76	1.50	0.00	0.00	0.006	0.008	23.94
8 満光寺	120mボーリング		27.5	16.0	9.8	9.5	198.7	0.000	2.188	2.96	5.05	0.53	46.51	0.62	0.00	0.00	0.000	0.006	17.07
9 5番組 矢沢秀雄氏宅	湧水		25.5	13.5	7.5	7.9	111.0	0.144	1.126	1.35	12.43	4.96	5.05	1.38	0.00	0.00	0.002	0.006	20.91
10 桂泉院(桂水)	湧水		28.2	13.5	7.3	8.0	122.1	0.212	1.315	1.08	12.51	6.85	4.77	1.06	0.00	0.00	0.000	0.008	20.10
11 勝間滝沢 小池政一氏宅	湧水		29.0	14.0	6.5	7.7	60.3	0.365	0.513	0.81	6.10	2.87	3.94	0.80	0.00	0.00	0.000	0.008	19.70
12 勝間共信 水神様	湧水		25.5	14.5	5.4	7.2	86.7	0.794	0.433	1.62	7.46	3.65	4.59	1.78	0.00	0.00	0.000	0.008	15.05
14 上山田押出 西村武男氏宅	横井戸		27.0	19.7	6.0	7.4	173.5	0.705	0.721	10.78	11.79	9.09	8.27	1.96	0.06	0.00	0.000	0.011	36.36
15 上山田越通 小池泰彦氏宅	横井戸		26.3	19.9	6.0	7.3	100.8	0.509	0.269	5.93	6.18	3.84	6.41	5.02	0.00	0.00	0.000	0.006	22.52
16 上山田引時 平岩国幸氏宅	湧水		28.5	16.0	7.2	7.7	83.7	0.353	0.918	1.08	9.22	2.82	4.66	13.75	0.00	0.00	0.000	0.011	20.91
17 上山田金井西 丸山 悟氏宅	横井戸		27.2	19.5	6.1	7.3	42.6	0.409	0.561	0.54	3.29	1.51	3.38	0.90	0.00	0.00	0.000	0.012	22.22
18 上山田山寺入沢	湧水		29.1	14.5	7.0	7.6	78.0	0.313	0.782	1.08	6.26	3.65	6.13	1.02	0.00	0.00	0.000	0.010	27.88
19 下山田西町 武井英登氏宅	横井戸		29.1	11.9	6.7	7.4	79.7	0.224	0.729	1.35	6.34	3.06	7.89	1.10	0.00	0.00	0.000	0.011	28.99
20 下山田城下伊藤幸久氏宅東山	湧水		27.0	13.0	6.6	7.4	44.9	0.208	0.485	0.54	3.21	2.19	4.34	0.92	0.00	0.00	0.000	0.008	22.02
21 下山田城下伊藤幸久氏宅南山	湧水		27.0	16.6	6.7	7.6	76.4	0.473	0.798	0.27	7.38	2.87	5.30	0.85	0.00	0.00	0.000	0.011	23.94
22 高遠高城南 堤	湧水		25.2	17.5	7.1	7.5	52.6	0.265	0.465	1.08	3.13	1.94	4.29	1.04	1.08	0.00	0.000	0.010	22.02
23 小原 前林賢一氏宅	縦井戸6m		28.7	13.0	6.1	7.7	191.0	1.106	1.194	3.77	13.39	8.07	8.12	13.80	0.00	0.00	0.000	0.006	14.44
24 西高遠 伊藤隆雄氏宅	縦井戸5m		28.1	15.9	6.7	7.7	188.7	0.802	1.463	8.62	19.89	7.63	8.02	2.60	0.00	0.00	0.000	0.010	14.44
25 食彩館下宮沢炭坑跡向かい	湧水		30.0	15.2	6.4	7.7	159.8	0.794	1.086	5.93	19.97	5.01	3.03	1.82	0.00	0.00	0.000	0.008	12.83

26	はごろも橋南	湧水	32.2	13.5	6.7	8.1	177.6	0.545	1.074	10.78	9.62	8.85	11.10	3.38	0.00	0.00	0.000	0.010	26.46
27	東高遠小田中一男氏宅黄金水	縦井戸10m	31.0	13.8	5.7	7.2	159.8	0.914	0.465	10.24	10.27	5.15	9.84	9.65	1.93	0.00	0.000	0.006	30.30
27	権現沢 酒蔵の泉	湧水	29.6	20.0	7.5	7.8	79.5	0.072	0.766	1.62	6.74	3.99	5.43	1.60	0.13	0.00	0.000	0.011	23.94
29	長藤 中山 智氏宅	湧水	28.3	21.3	6.9	7.9	251.7	0.802	2.232	9.16	29.91	8.12	8.63	3.52	0.46	0.00	0.000	0.008	20.50

平成17年 箕輪竜東地区 分析結果

採水採水地点 NO.	形状	月日	気温	水温	pH	RpH	電導度 μs/cm	酸度 meq/l	アルカリ度Cl meq/l	Ca mg/l	Mg mg/l	Na mg/l	K mg/l	COD mg/l	NH-N mg/l	NO-N mg/l	PO mg/l	SiO mg/l	
3																			
4	一ノ沢	湧水	30.0	12.5	7.7	8.0	125.1	0.060	1.178	0.32	11.95	6.22	6.61	0.42	0.34	0.00	0.000	0.000	15.15
5																			
6																			
7																			
8	無量時	湧水	28.0	13.0	5.2	5.7	62.9	0.668	0.361	1.08	3.45	2.38	4.64	1.22	0.43	0.00	0.000	0.094	16.87
9	中村 藤森政延宅	湧水	30.0	15.0	6.7	7.2	66.4	0.144	0.878	1.08	3.45	1.75	6.05	1.02	0.28	0.00	0.000	0.091	19.49
10	日輪寺	湧水	24.0	13.5	5.8	6.6	28.9	0.377	0.248	0.92	1.36	0.15	4.74	0.35	0.37	0.00	0.002	0.193	26.77
11	南小河内 伊藤勝正宅	井戸5m	30.5	18.0	6.3	7.6	87.0	0.476	0.192	0.54	9.06	2.87	3.83	1.10	0.03	0.00	0.000	0.029	13.94
12	長岡 柴 完一宅	縦井戸120m	30.2	13.2	6.3	7.5	181.1	0.388	0.557	6.68	13.47	8.41	7.87	1.44	1.20	0.00	0.002	0.025	20.91
13	長岡 伊藤洋一宅	湧水	30.0	19.0	7.0	7.5	65.6	0.152	0.597	0.54	4.01	2.67	4.74	0.80	1.18	0.00	0.002	0.075	22.22
14	長岡 伊藤洋一宅	縦井戸60m	29.5	17.5	7.4	7.9	161.8	0.160	1.723	0.32	11.79	8.75	8.32	1.28	0.87	0.00	0.000	0.072	22.22
15	地藏尊延命水	湧水	32.0	17.0	6.2	7.5	178.9	0.528	0.697	7.38	10.03	9.43	8.63	1.34	0.43	0.00	0.001	0.037	24.34
16	KYODEN	縦井戸60m	32.3	15.2	6.8	7.6	191.8	0.296	1.158	6.68	14.52	8.70	10.49	1.06	0.72	0.00	0.001	0.069	25.25
18	上棚 毛利定治宅	井戸1.5m	30.0	15.0	6.2	7.5	219.5	0.456	0.689	7.01	18.21	12.44	4.64	1.38	1.57	0.00	0.002	0.019	14.44
19																			
20	三日町 原 忠彦宅	縦井戸25m	28.2	12.5	6.0	7.3	130.8	0.720	0.854	4.20	12.51	5.88	9.48	5.88	1.15	0.00	0.002	0.180	20.20
21	卯の木 太田 克宅	湧水	28.3	14.5	7.1	7.7	127.3	0.304	1.066	7.71	13.95	9.04	9.16	1.36	0.15	0.00	0.003	0.128	23.63
22	ミサワノーブル	縦井戸85m	30.0	18.2	6.5	7.5	129.4	0.480	1.094	3.61	10.03	5.44	8.73	1.20	0.94	0.00	痕跡	0.077	24.34
23	郷沢 登内友一宅	湧水	29.0	20.0	5.8	7.3	124.5	0.376	0.497	5.07	6.18	2.62	9.26	6.68	2.77	0.00	0.001	0.021	17.47
24	福与 田中仁人宅	縦井戸23m	29.8	15.0	6.3	7.3	149.9	0.520	0.709	5.39	6.58	9.23	9.69	1.56	0.00	0.00	0.001	0.105	22.93
25	福与 福与城址	湧水	27.0	15.2	5.7	7.1	239.8	0.968	0.677	7.71	16.84	3.79	9.99	24.40	1.48	0.00	0.013	0.000	16.87

平成20年 南箕輪地区 分析結果

採水採水地点 NO.	形状	月日	気温	水温	pH	RpH	電導度 μs/cm	酸度 meq/l	アルカリ度Cl meq/l	Ca mg/l	Mg mg/l	Na mg/l	K mg/l	COD mg/l	NH-N mg/l	NO-N mg/l	PO mg/l	SiO mg/l	
8	中込わさび畑	湧水	27.8	15.0	5.8	7.3	187.4	0.661	0.674	18.43	12.03	5.69	12.01	2.70	1.27	0.00	0.000	0.009	7.83
9	小椋一雄宅北100m	湧水	26.0	16.0	6.6	7.6	177.8	0.349	0.537	15.95	12.83	4.57	10.90	3.20	0.41	0.00	0.000	0.000	6.67
10	中西豆腐店25m	井戸	28.5	15.8	6.0	7.6	168.1	0.505	0.541	17.36	11.23	4.28	11.00	3.74	0.10	0.00	0.000	0.013	11.21
11	藤田製作所西わさび畑	湧水	26.0	15.0	6.0	7.5	171.3	0.794	0.645	17.89	12.03	4.96	11.50	2.65	0.04	0.00	0.000	0.000	7.83
12	北殿駅南200mKOAの西わさび畑	湧水	29.9	14.0	6.0	7.5	175.4	0.713	0.577	15.63	12.83	5.78	11.10	3.10	0.04	0.00	0.000	0.012	7.58
13	南箕輪小高学年プール西	湧水	31.8	15.5	5.8	6.8	179.9	1.098	0.633	17.03	11.63	4.57	13.02	2.65	0.22	0.00	0.000	0.002	4.55
14	南中グラウンド南西の下	横井戸	29.6	16.0	5.9	6.7	177.8	1.331	0.633	16.49	12.83	5.39	12.21	3.88	0.04	0.00	0.264	0.017	7.98
15	南箕輪村役場入り口(南西隅)	横井戸	28.5	15.8	5.8	7.1	168.1	1.058	0.621	17.36	11.63	4.62	12.81	2.96	0.10	0.00	0.000	0.009	3.28
16	村体下南東	横井戸	28.0	15.0	5.8	7.5	166.0	1.098	0.645	15.95	12.43	5.05	12.31	2.18	0.19	0.00	0.000	0.009	4.55
17	南殿水源地(跡)	横井戸	26.2	15.0	5.8	7.4	171.3	1.078	0.669	16.39	12.43	5.15	12.71	3.72	0.15	0.00	0.000	0.000	4.29
18	不死水清	湧水	29.0	15.0	6.0	7.3	182.0	0.802	0.778	15.09	14.44	6.32	11.00	2.62	0.00	0.00	0.000	0.009	9.49
19	大泉川(南殿旧道橋)	河川	28.5	18.0	7.4	7.6	170.0	1.128	0.745	15.42	12.43	5.88	11.91	2.32	0.76	0.00	0.000	0.015	0.00
20	田畑西わさび畑(ホテルの西)	湧水	28.5	14.0	6.0	7.5	159.0	1.038	0.649	14.88	10.83	5.98	9.69	2.12	0.17	0.00	0.000	0.011	0.00
21	田畑ホテル村道の北寄り	横井戸	29.0	15.8	5.8	7.5	194.4	1.074	0.593	19.19	11.63	5.98	13.22	2.26	0.04	0.00	0.000	0.014	0.00
22	半沢川水源わさび畑	湧水	28.5	14.8	5.5	7.5	177.5	1.098	0.569	19.30	11.63	6.08	13.62	1.92	0.03	0.00	0.000	0.010	0.00
23	半沢川上部	河川	25.9	16.5	6.5	7.4	170.6	0.569	0.617	18.97	12.03	5.54	13.22	2.02	0.30	0.00	0.000	0.010	0.00
24	神子柴水道水源	横井戸	26.0	14.0	5.8	7.5	164.5	1.018	0.581	17.36	11.23	10.79	11.60	2.18	0.08	0.00	0.000	0.011	0.00
25	飯塚さん宅上湧水	湧水	27.0	15.0	5.7	7.5	160.6	0.842	0.601	16.71	12.03	0.49	11.70	2.65	0.01	0.00	0.000	0.000	0.00
26	上農第2農場井戸	ボーリング井戸	29.7	15.8	5.9	7.6	141.9	0.581	0.637	9.70	10.03	5.49	7.37	1.78	0.01	0.00	0.000	0.070	0.00
27	伊那IC入口前シェル	ボーリング井戸	30.9	16.0	5.5	7.6	402.7	1.339	0.673	51.96	12.43	21.68	25.93	2.94	0.21	0.00	0.000	0.015	0.00
28	南殿上河原	横井戸	26.5	15.0	6.0	7.6	182.0	0.605	0.657	17.57	12.43	5.30	14.73	2.30	0.01	0.00	0.000	0.006	0.00
29	沢尻月見	横井戸	28.0	15.5	5.8	7.5	206.3	1.026	0.569	19.51	12.83	5.83	15.64	1.92	0.05	0.00	0.000	0.011	0.00
30	信大駐車場東	横井戸	25.5	11.2	5.6	7.5	89.4	0.854	0.425	9.70	7.62	3.11	4.64	0.30	0.04	0.00	0.000	0.000	0.00
31	大泉西村	横井戸	29.5	12.0	6.1	7.8	149.8	0.705	0.874	3.56	10.43	7.34	7.16	2.16	0.27	0.00	0.000	0.024	0.00
32	南沢	湧水	27.0	14.5	5.9	7.5	216.7	0.930	0.673	18.22	12.83	8.80	11.91	2.82	0.15	0.00	0.000	0.010	0.00
33	北の沢わさび畑	湧水	27.6	16.0	6.7	7.6	198.7	0.257	0.681	18.22	13.63	7.73	12.41	2.12	0.39	0.00	0.000	0.010	0.00
34	久保簡易水道水源公民館上お	横井戸	28.0	14.8	5.9	7.5	213.0	0.922	0.689	17.89	16.84	5.83	12.41	1.90	0.06	0.00	0.000	0.006	0.00
35	滝の沢わさび畑	湧水	29.2	14.2	5.9	7.9	207.3	0.802	0.737	19.51	14.04	9.09	12.31	2.65	0.23	0.00	0.000	0.000	0.00
36	北殿遊水地	湧水	28.0	14.0	5.2	7.4	213.8	0.673	0.625	16.06	14.44	5.01	11.20	2.40	0.27	0.00	0.000	0.011	0.00
37	横川終点KOA北付近	河川	34.5	19.0	7.2	7.6	193.7	0.124	0.737	17.14	13.23	7.63	12.21	2.36	0.80	0.00	0.000	0.010	0.00
38	竹ノ内勲宅	湧水	33.5	20.0	7.0	7.7	173.4	0.145	0.477	10.78	11.23	6.03	11.30	2.60	0.40	0.00	0.000	0.000	0.00

平成18年 辰野町竜東地区 分析結果

採水採水地点 NO.	形状	月日	気温	水温	pH	RpH	電導度 μs/cm	酸度 meq/l	アルカリ度Cl meq/l	Ca mg/l	Mg mg/l	Na mg/l	K mg/l	COD mg/l	NH-N mg/l	NO-N mg/l	PO mg/l	SiO mg/l		
5	樋口根橋郁雄宅	湧水		28.2	18.2	6.6	7.2	159.3	0.436	0.028	13.69	11.87	1.85	13.37	2.15	0.33	0.00	0.000	0.000	20.30
8	沢底村上勝次宅	湧水		36.0	14.1	5.9	7.2	78.8	0.424	0.297	4.20	5.29	2.24	5.85	2.70	0.32	0.00	0.000	0.000	25.65
9	沢底山寺祥太郎宅	湧水		36.0	14.0	6.2	7.4	97.6	0.068	0.204	3.29	7.46	2.53	5.85	2.80	0.12	0.00	0.000	0.000	22.42
10	県射撃場	湧水(ボーリング)	29.0	22.0	6.8	7.4	46.9	0.144	0.341	3.02	2.73	1.26	5.70	0.26	0.24	0.00	0.000	0.000	27.17	
12	鎮大神社	湧水		31.5	13.0	5.8	7.0	30.3	0.560	0.244	1.78	1.20	0.39	5.25	0.42	0.10	0.00	0.000	0.000	28.89
13	たかどう沢	湧水		33.0	15.2	7.1	7.4	30.9	0.068	0.204	3.02	1.12	0.97	3.83	0.64	1.10	0.00	痕跡	0.000	23.84
14	出の沢	湧水		33.0	16.8	7.0	7.4	35.9	0.100	0.224	2.37	2.41	1.36	2.47	0.96	0.80	0.00	0.000	0.000	25.55
15	沢底有賀進宅	湧水		26.2	12.2	6.2	7.3	39.0	0.336	0.329	2.10	2.49	1.46	3.83	0.80	0.44	0.00	痕跡	0.000	23.84
16	鴻之田小林芳宏宅	湧水(縦井戸3m)	30.2	16.1	5.6	6.4	165.9	0.672	0.128	9.86	14.84	5.49	4.79	0.80	0.21	0.00	痕跡	0.000	19.49	
17	鴻之田上の端	湧水		26.9	10.9	6.2	6.8	26.1	0.212	0.293	1.35	2.33	1.31	1.31	0.28	-0.03	0.00	0.000	0.000	16.77
18	上野水道水源	湧水		29.0	11.8	7.2	7.6	67.2	0.136	0.533	3.02	6.26	2.62	3.28	1.24	0.12	0.00	0.000	0.000	33.23
19	上野地区南湧水	湧水		33.0	13.5	5.8	7.2	98.2	0.540	0.257	6.09	7.38	3.94	3.38	2.12	0.04	0.00	0.000	0.000	18.18
20	金沢秋雄宅	湧水(縦井戸4m)	33.2	20.6	6.9	7.7	113.5	0.244	0.697	7.33	12.67	2.92	3.78	2.10	0.67	0.00	0.000	0.000	20.81	
21	上平出コミュニティセンター北	湧水		32.2	13.0	7.4	7.6	58.4	0.116	0.505	2.37	5.21	2.04	3.58	0.98	0.12	0.00	0.000	0.000	33.23
22	上平出井出の清水	湧水		32.9	12.0	7.4	7.4	63.4	0.108	0.509	2.37	5.37	2.82	4.54	0.98	0.46	0.00	0.000	0.000	31.11

平成19年 辰野町竜東地区 分析結果

平成19年度 長野市 電導地区 分析結果																			
採水採水地点 NO.	形状	月日	気温	水温	pH	RpH	電導度 μs/cm	酸度 meq/l	アルカリ度Cl meq/l	Ca mg/l	Mg mg/l	Na mg/l	K mg/l	COD mg/l	NH-N mg/l	NO-N mg/l	PO mg/l	SiO mg/l	
5	樋口根橋部雄宅	湧水	24.7	14.8	6.6	7.4	161.4	0.420	0.874	15.09	10.27	6.22	9.89	4.32	1.98	0.00	0.000	0.060	16.77
8	沢底村上勝次宅	湧水	29.0	16.0	5.9	7.2	71.1	0.404	0.561	3.93	4.41	2.14	7.06	1.90	1.72	0.00	0.000	0.170	10.10
9	沢底山寺祥太郎宅	湧水	27.5	15.0	6.2	7.3	92.1	0.432	0.898	2.11	5.61	3.79	5.85	2.42	1.98	0.00	0.000	0.040	4.44
10	県射撃場	湧水(ボーリング)	24.5	20.0	6.8	7.4	47.9	0.128	0.441	2.11	2.01	1.80	5.85	0.15	1.34	0.00	0.000	0.095	6.67
12	鎮大神社	湧水	21.9	12.4	5.5	7.0	31.9	0.592	0.309	1.29	0.40	0.68	5.85	1.44	0.96	0.00	0.000	0.000	6.16
13	たかどう沢	湧水	0.0	0.0	0.0	0.0	0.0	0.000	0.000	—	—	—	—	—	—	—	—	—	—
14	出の沢(昨年と違う場所?)	湧水	23.0	14.0	6.7	7.2	30.7	0.112	0.313	0.75	1.36	0.24	3.94	0.08	2.69	0.00	0.000	0.115	0.51
15	沢底有賀進宅	湧水(100m横井)	23.7	11.8	6.4	7.2	40.5	0.312	0.385	1.56	1.20	6.90	4.54	0.10	1.00	0.00	0.000	0.000	6.67
16	鴻之田小林芳宏宅	湧水(縦井戸3m)	27.6	16.5	5.8	6.8	103.4	0.604	0.160	6.47	8.58	0.00	4.34	0.50	0.95	0.00	0.000	0.000	2.73
17	鴻之田上の端	湧水	0.0	0.0	0.0	0.0	0.0	0.000	0.000	—	—	—	—	—	—	—	—	—	—
18	上野水道水源	湧水	23.1	13.2	7.1	7.5	80.5	0.148	0.621	2.37	5.53	6.37	3.63	1.18	0.95	0.00	0.000	0.000	12.83
19	上野地区南湧水	湧水	26.8	15.0	5.8	7.4	85.7	0.424	0.309	6.90	6.34	3.01	3.83	4.08	1.40	0.00	0.000	0.000	2.73
20	金沢秋雄宅	湧水(縦井戸4m)	25.1	20.3	7.1	7.6	114.2	0.252	0.886	6.14	14.04	3.84	4.74	2.50	1.53	0.00	0.000	0.000	6.67
21	上平出コミュニティセンター北	湧水	30.1	12.3	7.2	7.6	62.9	0.176	0.581	1.56	4.41	2.24	3.53	1.60	1.23	0.00	0.000	0.095	13.94
22	上平出井出の清水	湧水	26.7	13.5	7.4	7.7	55.5	0.100	0.569	0.75	5.21	1.85	4.44	0.94	1.44	0.00	0.000	0.000	11.21

平成21年 辰野町小野地区 分析結果

平成21年 長野県小沢野地区 分析結果																			
採水採水地点 NO.	形状	月日	気温	水温	pH	RpH	電導度 μs/cm	酸度 meq/l	アルカリ度Cl meq/l	Ca mg/l	Mg mg/l	Na mg/l	K mg/l	COD mg/l	NH-N mg/l	NO-N mg/l	PO mg/l	SiO mg/l	
6 善知島峠 分水嶺	湧水	7.30	26.0	13.0	6.7	7.0	49.4	0.048	0.208	3.29	2.97	1.80	3.23	0.04	0.66	0.00	0.000	0.012	15.55
9 矢彦神社	湧水	7.30	27.5	12.0	6.1	7.0	117.5	0.297	0.481	8.19	8.66	5.64	4.54	0.16	0.24	0.00	0.000	0.000	15.55
10 熊谷さん方	縦井戸	7.30	29.0	14.8	6.7	7.4	252.8	0.465	1.756	10.19	4.97	4.37	31.88	0.18	0.00	0.00	0.000	0.017	17.47
11 小澤和延さん方	井戸	7.30	24.5	12.0	6.1	7.4	79.5	0.481	0.549	1.89	7.06	2.92	3.58	0.22	0.00	0.00	0.000	0.000	16.87
12 牛首峠	湧水	7.30	23.0	13.0	7.0	7.2	36.0	0.048	0.305	0.99	3.13	1.12	2.47	0.05	0.91	0.00	0.000	0.013	11.72
13 小野勝弘さん方	横井戸	7.30	26.0	11.5	6.1	6.3	30.9	0.333	0.200	1.53	0.88	1.07	3.58	0.04	0.15	0.00	0.000	0.015	16.87
14 牛丸さん方	井戸	7.30	25.0	12.1	6.0	6.8	64.4	0.353	0.253	1.83	3.05	1.31	3.58	0.70	0.40	0.00	0.000	0.000	11.72
17 山口の泉	湧水	7.30		12.0	6.4	7.3	80.6	0.261	0.473	2.70	5.69	3.69	3.78	0.13	0.13	0.00	0.000	0.000	15.15
18 藤沢の泉	湧水	7.30	26.0	10.0	6.5	7.2	59.3	0.200	0.509	1.53	3.77	3.11	3.78	0.06	0.00	0.00	0.000	0.000	22.42
22 青木繁さん方	湧水	7.30	27.5	11.5	6.4	7.2	81.1	0.236	0.481	3.60	6.66	2.82	4.34	0.15	0.53	0.00	0.000	0.013	18.79
23 大清水	湧水	7.30	25.0	11.0	6.1	7.2	100.5	0.281	0.393	7.28	7.30	4.37	5.15	0.33	0.07	0.00	0.000	0.000	20.96

平成22年 辰野町川島・小横川以南地区 分析結果

採水地点 NO.	形状	月日	気温	水温	pH	RpH	電導度 μs/cm	酸度 meq/l	アルカリ度Cl mg/l	Ca mg/l	Mg mg/l	Na mg/l	K mg/l	COD mg/l	NH-N mg/l	NO-N mg/l	PO mg/l	SiO mg/l	
2 浜横川マンガン鉱山跡	横井戸	8.10	14.0	9.0	7.8	8.2	399.0	0.196	3.912	2.70	38.74	31.98	4.34	0.10	0.00	0.000	0.000	12.32	
8 北ノ久保 今村	湧水	8.10	26.0	11.0	6.8	7.3	74.5	0.144	0.441	3.29	6.90	3.21	4.44	0.00	-0.30	0.00	0.000	0.000	18.79
9 徳本水	湧水	8.10	28.2	10.0	6.9	7.4	77.7	0.096	0.441	3.61	6.50	3.40	2.27	0.00	0.15	0.00	0.000	0.000	23.23
10 上島2411 井内氏久氏宅	井戸	8.10	29.0	12.0	7.9	8.2	149.8	0.056	1.747	3.29	18.37	6.61	11.60	0.74	0.15	0.00	0.000	0.013	17.47
11 井内氏久氏宅2	湧水	8.10	29.0	11.5	6.6	7.2	53.7	0.168	0.441	5.34	6.02	1.41	3.28	0.00	0.00	0.00	0.000	0.011	23.94
15 石川島	井戸	8.10	28.5	14.0	6.4	7.5	120.6	0.385	0.894	7.71	16.12	2.53	4.74	0.40	-0.59	0.00	0.000	0.000	21.92
16 辰野高校下水神	湧水	8.10	31.2	12.0	6.0	7.4	109.4	0.349	0.754	6.09	8.34	4.03	5.20	0.00	-0.44	0.00	0.000	0.018	25.55
18 新町(工業団地下)	湧水	8.10	31.0	12.8	6.0	7.2	73.4	0.385	0.461	4.96	5.85	2.96	3.28	0.05	-1.48	0.00	0.000	0.000	21.72
23 北大出水源 水神	湧水	8.10	27.0	10.2	6.4	7.0	66.4	0.024	0.473	5.71	5.77	1.99	4.34	0.48	0.00	0.00	0.000	0.013	22.42

平成21年 辰野町小野地区 分析結果

採水採水地点 NO.	形状	月日	気温	水温	pH	RpH	電導度 μs/cm	酸度 meq/l	アルカリ度Cl meq/l	Ca mg/l	Mg mg/l	Na mg/l	K mg/l	COD mg/l	NH-N mg/l	NO-N mg/l	PO mg/l	SiO mg/l	
4 しらび平駅上の湧水	湧水	7.31	18.0	10.0	5.9	6.5	12.3	0.080	0.104	0.25	1.60	0.58	0.71	0.00	0.00	0.00	0.000	0.017	4.44

平成26年 三峰川水系 分析結果

平成20年度三峰川水質分析結果																				
採水採水地点 NO.	形状	月日	気温	水温	pH	RpH	電導度 μs/cm	酸度 meq/l	アルカリ度Cl meq/l	Ca mg/l	Mg mg/l	Na mg/l	K mg/l	COD mg/l	NH-N mg/l	NO-N mg/l	PO mg/l	SiO mg/l		
2	杉島ゲート付近水神	湧水	7.30	16.9	9.5	5.4	7.8	130.0	0.062	1.275	1.24	8.02	13.61	2.83	0.00	0.00	0.000	0.000	13.38	
8	小瀬戸の湯上流側	湧水	7.30	23.3	19.8	7.9	8.2	690.0	0.084	2.373	96.64	17.64	7.29	110.99	2.90	0.17	0.00	0.000	0.000	8.89
9	小瀬戸の湯下流側	湧水	7.30	22.0	16.2	7.4	8.0	7700.0	0.449	3.703	1818.59	29.67	29.65	1281.43	37.50	8.66	測定不能	0.005	0.156	10.00
15	巫女淵南斜面湧水	湧水	7.30	22.4	8.0	7.8	8.2	120.0	0.076	1.283	0.00	18.45	5.35	1.61	0.40	0.00	0.000	0.183	7.78	